




नेपाल सरकार
गृह मन्त्रालय

जिल्ला प्रशासन कार्यालय

जनकपुरधाम, धनुषा

धनुषा जिल्लाको स्वीकृत जिल्ला दररेट



आ.ब.२०८१/८२

आषाढ ३१, २०८१

२०९१/३१३
धनुषा जिल्ला अधिकारी



कामदारहरुको ज्याला, मेसिनको भाडा तथा ढुवानी दर

सि.नं.	कामदारको विवरण	इकाई	आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२ को स्वीकृत दररेट	कैफियत
१	ज्यामी	दैनिक	७७५.००	८००.००	८००.००	
२	भरिया	दैनिक	७७५.००	८००.००	८००.००	
३	सिपालु कामदार (सिकर्मी, डकर्मी, नकर्मी, बज्रकर्मी, चित्रकार, प्लम्बर, इलेक्ट्रीसियन, मेकेनिक, ब्लाष्टर, वेल्डर)	दैनिक	१२००.००	१२००.००	१२००.००	
४	अर्ध सिपालु कामदार (सिकर्मी, डकर्मी, नकर्मी, बज्रकर्मी, चित्रकार, प्लम्बर, इलेक्ट्रीसियन, मेकेनिक, ब्लाष्टर, वेल्डर)	दैनिक	९६५.००	९६५.००	९६५.००	
५	सर्वे हेल्पर	दैनिक	९६५.००	९६५.००	९६५.००	
६	क्याम्प वर्कर	दैनिक	९६५.००	९६५.००	९६५.००	
७	क्याम्प वर्कर (नापी कार्यको लागि)	दैनिक	९६५.००	९६५.००	९६५.००	
८	पाले चौकीदार	दैनिक	७७५.००	७७५.००	७७५.००	
९	मेस्तर	दैनिक	५८०.००	५८०.००	५८०.००	
१०	जंजीरदार	दैनिक	९६५.००	९६५.००	९६५.००	
११	सुपरभाइजर साधारण	दैनिक	७७५.००	७७५.००	७७५.००	
१२	सडक निर्माणको लागि सुपरभाइजर	दैनिक	७७५.००	७७५.००	७७५.००	
१३	सुपरभाइजर (निर्माण कार्यको लागि)	दैनिक	७७५.००	७७५.००	७७५.००	
१४	सुपरभाइजर, फिल्ड असिस्टेंट, गैज रिडर, सैम्पलर (खरिदार सरह प्राविधिक)	दैनिक	९६५.००	९६५.००	९६५.००	
१५	सुपरभाइजर तालिम प्राप्त, ना.सु सरह	दैनिक	९६५.००	९६५.००	९६५.००	
१६	औषधि छर्ने (स्प्रेयर)	दैनिक	७७५.००	७७५.००	७७५.००	
१७	फोरमैन (औषधि छर्ने)	दैनिक	७७५.००	७७५.००	७७५.००	
१८	सडक कालोपत्रे गर्ने ज्यामी	दैनिक	९६५.००	९६५.००	९६५.००	
१९	कम्प्युटर अपरेटर (ना.सु. स्तर)	दैनिक	नेपाल सरकारले तोकेको शुरुको तलब स्केल बमोजिम	नेपाल सरकारले तोकेको शुरुको तलब स्केल बमोजिम	नेपाल सरकारले तोकेको शुरुको तलब स्केल बमोजिम	
२०	कम्प्युटर अपरेटर (खरिदार स्तर)	दैनिक				
२१	डाइभर (हेभी सवारी चालक)	दैनिक				
२२	डाइभर (हलुका सवारी चालक)	दैनिक				
२३	इंजिनियर (अधिकृत स्तर)	दैनिक				
२४	सब-इंजिनियर, जे.टि (ना.सु. स्तर)	दैनिक				
२५	अ. सब-इंजिनियर/टाइपिस्ट/जे.टि.ए. -खरिदार स्तर	दैनिक				
२६	नर्सरी नाईके/वन हेरालु	दैनिक	७७५.००	७७५.००	७७५.००	



सि.नं.	कामदारको विवरण	इकाई	आ.व. ०७९/८०	आ.व. ०८०/८१	आ.व. ०८१/८२ को स्वीकृत दररेट	कैफियत
२७	विभिन्न साइजको तारजाली-लोड गर्ने वा अनलोड गर्ने	गोटा	१३.५०	१३.५०	१३.५०	
२८	विभिन्न गेजको तार-लोड गर्ने वा अनलोड गर्ने	प्रति ५० के.जी.	१३.५०	१३.५०	१३.५०	
२९	जियो बैग-लोड गर्ने वा अनलोड गर्ने	प्रति १००० थान	१४०.००	१४०.००	१४०.००	
३०	नाईलन क्रेट-लोड गर्ने वा अनलोड गर्ने	गोटा	१३.२०	१३.२०	१३.२०	
३१	स्प्रेमेन	दैनिक		७७५.००	७७५.००	
३२	आ.डी.	दैनिक		७७५.००	७७५.००	
३३	फोरमेन	दैनिक		९६५.००	९६५.००	
३४	Geotechnical Investigation of soil with drilling, extracting, lab testing, test report writing all complete work	R.M.			५०५०.००	

नोट :-

१) यस बाहेक अन्य पदहरूमा भर्ना गरी ज्यालादारीमा काम लगाउँदा जुन पदमा काम गराउने हो, सो पदमा नेपाल सरकारले निर्धारण गरेको शुरु तलब स्केललाई २५ ले भाग गर्दा आउने रकमलाई दैनिक ज्याला कायम गर्ने

२) कामदारको काम गर्ने समय दिनको ८ घण्टा हुनेछ।

३) भरियाले १ दिनमा ४० के.जी.सम्म भारी बोकी ४ कोष दूरी सम्म तय गर्नु पर्नेछ।

४) निर्धारण गरिएको दररेटमा मूल्य अभिवृद्धि कर समावेश गरिएको छैन।

[Handwritten signatures and initials are present here, including a large signature on the left, a signature in the middle, and initials 'St' and 'Jor' on the right.]



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	धनुषा			टिप्पण
			मा.प. ०७९/८०	मा.प. ०८०/८१	मा.प. ०८१/८२ को स्वीकृत दररेट	
क	महेन्द्रनारायण विधि विद्यालय संस्कृति केन्द्र, जनकपुरधाम, धनुषाको मुख्य इलाको सेवा सुलभः(नेपाल सरकारका विकासकाय विभागद्वारा)					
१	हल (Auditorium Hall) बास	प्रतिदिन			४३,०००/००	
२	कायाउपग्रह बास	प्रतिदिन			१३,०००/००	
३	हल (Auditorium Hall) तथा कायाउपग्रह सहित	प्रतिदिन			६०,०००/००	
ख	विद्यालय भेदिन गर्ने कार्यः ज्याला, रगतोगन र सारसफाई सहित (विभिन्न आकर्षक आकृतिका चिन्ता चित्र)	घ मी			३,९९/०१२	
ग	ढुवानी सम्बन्धि दररेट :					
१	टुक इन्धन कोटक					
	का १ चक्रे	दैनिक	३,३००/००	३,३००/००	३,३००/००	
	का १० चक्रे	दैनिक	४,३००/००	४,३००/००	४,३००/००	
२	टुक इन्धन कोटक					
	का १ चक्रे	दैनिक	३,३२२/००	३,३२२/००	३,३२२/००	
	का १० चक्रे	दैनिक	४,३२२/००	४,३२२/००	४,३२२/००	
३	टुक इन्धन सहित	दैनिक	४,९९९/००	४,९९९/००	४,९९९/००	
४	टुक (पक्की सडक)	घ मी / घ कि मी	१/४२	१/४२	१/४२	
५	टुक (साथेस सडक)	घ मी / घ कि मी	१/९९	१/९९	१/९९	
६	टुक (कच्ची सडक)	घ मी / घ कि मी	१/९७	१/९७	१/९७	
७	टुक इन्धन कोटक	दैनिक	२,९८४/००	२,९८४/००	२,९८४/००	
८	टुक (पक्की सडक)	घ मी / घ कि मी	१/४२	१/४२	१/४२	
९	टुक (साथेस सडक)	घ मी / घ कि मी	१/८०	१/८०	१/८०	
१०	टुक (कच्ची सडक)	घ मी / घ कि मी	२/०७	२/०७	२/०७	
११	टावर साडा	दैनिक	१,९१०/४०	१,९१०/४०	१,९१०/४०	
१२	टेना साडा	घ मी / घ कि मी	३/४६०	३/४६०	३/४६०	
१३	जीप कार (तेल सहित)	दैनिक	३,२७५/००	४,०००/००	४,०००/००	
१४	घण्टीय सेट ४" इन्धन सहित	प्रति घण्टा	३/०३९	३/०३९	३/०३९	
१५	सतले बुनेको र भेदिन मेड सारजाली टुकले ढुवानी	प्रति जाली/प्रति कि. मि		१/०१	१/०१	
१६	समान लोड अनलोड गर्ने ज्याला	१०० किलो			२/०१००	
१७	सिमेन्ट प्लास्टर बुझा काट्ने मिलाई	दैनिक			२,४००/००	
भेट :	का) भार वि.मि.विजुली पोष, एच.डि.पी.पाइप, काठको ढुवानीमा १५ प्रतिशत घण्टा ढुवानी भाडा बन्ने । ख) सारजाली र खाली बोराको ढुवानीमा १० प्रतिशत घण्टा ढुवानी भाडा बन्ने ।					
घ	निर्माण सामग्रीको दररेट :					
१	बालुवा, बाल	घ मी	१,९२८/१००	१,९२८/१००	१,९२८/१००	
२	बालुवा, नगबाल	घ मी	१,९१०/४०	१,९१०/४०	१,९१०/४०	
३	प्रबन्ध बेचीको ईटा (चिन्तीको)	हजार	१४,४००/१००	१४,८००/१००	१४,८००/१००	
४	मिठा पाक ईटा (चिन्तीको)	हजार	१०,९२०/१००	१०,९२०/१००	१०,९२०/१००	
५	दिदीस बेचीको ईटा (चिन्तीको)	हजार	६,४४२/१००	६,४४२/१००	६,४४२/१००	
६	मुन्डी	घ मी	२,४०३/४०	२,४०३/४०	२,४०३/४०	
७	इटाको रोडा रोट	हजार	१०,३७४/१००	१०,३७४/१००	१०,३७४/१००	
८	इटाको टुक्रा १" र २" सम्म	टुक	४,८०४/१००	४,८०४/१००	४,८०४/१००	
९	राबीस (इटा भडाको)	टुक	८/४०८/४	८/४०८/४	८/४०८/४	
१०	सिन्सा ईटा	घ मी	६/२७९/०	६/२७९/०	६/२७९/०	
११	इन्धन सिमेन्ट (२०के.जी.)	बोरा	८२२/००	८२२/००	८२२/००	
१२	नेपाली सिमेन्ट (२०के.जी.) मो.पि.सी.	बोरा	८८४/००	८८४/००	८८४/००	
१३	नेपाली सिमेन्ट (२०के.जी.) वि.पि.सी.	बोरा	८२२/००	८२२/००	८२२/००	
१४	माटो (नूक)	घ मी	४९६/१००	४९६/१००	४९६/१००	
१५	पानी	लिट्र	०/३९	०/३९	०/३९	
१६	Lcno-Net	प्रति घण्टा		७००/१००	७००/१००	
१७	Excavation Earth/soil etc by Excavator					
क	मेसिन प्रयोग गरि पहाडी क्षेत्रमा सडक खन्ने काम मेसिन मोबिलाइजेसन, डिमोबिलाइजेसन, इन्धन भाँडा समेत					
	साधारण माटोमा खन्ने काम	घ.मी.	७४७/०	७४७/०	७४७/०	
	कडा माटो खन्ने काम	घ.मी.	९०८/०	९०८/०	९०८/०	
	नरम चट्टान	घ.मी.	३०४/०	३०४/०	३०४/०	
	मध्यम चट्टान	घ.मी.	४८३/०	४८३/०	४८३/०	
ख	मेसिन प्रयोग गरि तराईमा सडक खन्ने काम मेसिन मोबिलाइजेसन र डिमोबिलाइजेसन इन्धन भाँडा समेत					
	साधारण माटोमा खन्ने काम	घ.मी.	७४७/०	७४७/०	७४७/०	
	कडा माटोमा खन्ने काम	घ.मी.	९८३/०	९८३/०	९८३/०	
ग	मेसिन प्रयोग गरि तराईमा नहर खन्ने काम मेसिन मोबिलाइजेसन र डिमोबिलाइजेसन इन्धन भाँडा समेत					
	साधारण माटोमा खन्ने काम	घ.मी.	७४७/०	७४७/०	७४७/०	
	कडा माटोमा खन्ने काम	घ.मी.	९०४/०	९०४/०	९०४/०	
घ	भापतकालिन कार्य (नदिमा सेनेलाइजेसन गर्ने कार्य (बक्रेट साइड 12 Cum Excavator) इन्धन भाण्ड सहित	प्रति घण्टा	४,४६२/०	४,४६२/०	४,४६२/०	

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp on the right.



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	प्र.अ.क. बाईको दररेट			कैफियत
			मा.स. ०७१/८०	मा.स. ०८०/८१	मा.स. ०८१/८२ को स्वीकृत दररेट	
१८	एककाथेटरले माटो खनि सडकमा पुरी तथा ट्रेक्टरमा लेभलर लगाई सडकमा माटो पुरेकोलाई तय्याउने कार्य (ईन्धन र चालक सहित)	घ.मी.	११३८०	११३८०	११३८०	
१९	०.२० - ०.२८ cu.m. capacity mixture (with oil & Operator)	घण्टा	४१८१००	४१८१००	४१८१००	
२०	Vibrator (with oil & Operator)	घण्टा	१००१०	१००१०	१००१०	
२१	मसक स्टोन (मोन्डर)	घ.मी.	२,४११२०	२,४११२०	२,४११२०	
२२	बग्छ स्टोन	घ.मी.	२,१८४१००	२,१८४१००	२,१८४१००	
२३	फोरचा ढुंगा	घ.मी.	२,४०२४०	२,४०२४०	२,४०२४०	
२४	सुईको ढुंगा	घ.मी.	२,१५४१०	२,१५४१०	२,१५४१०	
२५	छापेन	घ.मी.	१,४८३४०	१,४८३४०	१,४८३४०	
२६	रालो माटो (Red/Yellow Soil or binding materials)	घ.मी.	१,१४११०	१,१४११०	१,१४११०	
२७	क्रसर स्टोन डस्ट (crusher Stone Dust)	घ.मी.				
२८	गोली ढुंगाको रीबन्ड	घ.मी.			१,१०४४०	
	क) १ मि.मि. १० मि.मि.	घ.मी.	१,१११००	१,१११००	१,१११००	
	ख) ११ " " २० " "	घ.मी.	१,८०१८०	१,८०१८०	१,८०१८०	
	ग) २१ " " ४० " "	घ.मी.	१,७४४२०	१,७४४२०	१,७४४२०	
	घ) ४१ " " ७० " "	घ.मी.	१,६९२६०	१,६९२६०	१,६९२६०	
	ङ) ७१ " " १०० " " सभ्य	घ.मी.	१,६३८००	१,६३८००	१,६३८००	
२९	फोरचा ढुंगाको मिश्र					
	क) १० मि.मी. रीबन्ड १० मि.मी. सभ्य	घ.मी.	३,२५१००	३,२५१००	३,२५१००	
	ख) ११ " " २० " "	घ.मी.	३,१६६८०	३,१६६८०	३,१६६८०	
	ग) २१ " " ४० " "	घ.मी.	३,११२२०	३,११२२०	३,११२२०	
	घ) ४१ " " ७० " "	घ.मी.	३,००३००	३,००३००	३,००३००	
	ङ) ७१ " " १०० " "	घ.मी.	२,९४८४०	२,९४८४०	२,९४८४०	
	च) क्रसर स्टोन डस्ट (ढुवानी बाहेक)	घ.मी.	१,१०४४०	१,१०४४०	१,१०४४०	
३०	फोरचा र गोली (मिक्सड) मिश्र					
	क) १० मि.मी. रीबन्ड १० मि.मी. सभ्य	घ.मी.	३,२५१००	३,२५१००	३,२५१००	
	ख) ११ " " २० " "	घ.मी.	३,१६६८०	३,१६६८०	३,१६६८०	
	ग) २१ " " ४० " "	घ.मी.	३,११२२०	३,११२२०	३,११२२०	
	घ) ४१ " " ७० " "	घ.मी.	३,००३००	३,००३००	३,००३००	
	ङ) ७१ " " १०० " "	घ.मी.	२,९४८४०	२,९४८४०	२,९४८४०	
	च) क्रसर स्टोन डस्ट (ढुवानी बाहेक)	घ.मी.	१,१०४४०	१,१०४४०	१,१०४४०	
३१	छापे ढुंगा					
	क) २४ मि.मि. बाक्लो	घ.मी.	८७३६०	८७३६०	८७३६०	
	ख) ३७ मि.मि. बाक्लो	घ.मी.	९२८२०	९२८२०	९२८२०	
	ग) ४० मि.मि. बाक्लो	घ.मी.	९८२८०	९८२८०	९८२८०	
३२	कमाने इन्चो (TOR) विभिन्न साइजको	के.जी.	९८१००	९८१००	९८१००	
३३	कमाने इन्चो (TMT) विभिन्न साइजको	के.जी.	९८१००	९८१००	९८१००	
३४	जी.बाई.तार (इन्चो बाहेक)	के.जी.	१११०४	१११०४	१११०४	
३५	कमाने किला	के.जी.	१२०१२	१२०१२	१२०१२	
३६	गट बोन्ड (बाई बाईको)	के.जी.	११६१९	११६१९	११६१९	
३७	रिच किला ४०x०.१० मि.मि.	संख्या	२४६	२४६	२४६	
३८	रीबन्ड फास्ट (२x० मि.मि.)	संख्या	४४६०	४४६०	४४६०	
३९	कम्पा					
	क) ७४ मि.मि.	संख्या	४३६८	४३६८	४३६८	
	ख) १०० मि.मि.	संख्या	४९१४	४९१४	४९१४	
	ग) १२४ मि.मि.	संख्या	६०८६	६०८६	६०८६	
	घ) १४० मि.मि.	संख्या	६४४२	६४४२	६४४२	
४०	छेपिकनी					
	क) १०० मि.मि.	संख्या	७०१८	७०१८	७०१८	
	ख) १४० मि.मि.	संख्या	९८२८	९८२८	९८२८	
	ग) २०० मि.मि.	संख्या	१२०१२	१२०१२	१२०१२	
	घ) २४० मि.मि.	संख्या	१४१९६	१४१९६	१४१९६	
	ङ) ३०० मि.मि.	संख्या	१६९२६	१६९२६	१६९२६	
४१	एबडोप (सर्फिंग सेट)					
	क) १०"	संख्या	३००३०	३००३०	३००३०	
	ख) १२"	संख्या	३२५६०	३२५६०	३२५६०	
४२	हाथ रीबन्ड फिटन राउरो	संख्या	८१९०	८१९०	८१९०	
४३	लीकड रीबन्ड फिटन	सेट	३१०३६	३१०३६	३१०३६	
४४	सार्टिन सड	सेट	१,०८१०८	१,०८१०८	१,०८१०८	
४५	डोर फिटन	सेट	३२५६०	३२५६०	३२५६०	
४६	हाइड्रोपिक डोर फिटन	सेट	२,९४३९४	२,९४३९४	२,९४३९४	
४७	जी.बाइ. तार विभिन्न साइज					
i	१० मि. कोटेड	के.जी.	१२५६०	१२५६०	१२५६०	
ii	१२ मि. कोटेड	के.जी.	१२२१०	१२२१०	१२२१०	
iii	१४ मि. कोटेड (कमानेसयल)	के.जी.	११५७०	११५७०	११५७०	
४८	सेन्जेर तार ११-११ एक इन्चु.जी.	के.जी.	१११६६	१११६६	१११६६	
४९	१० मि.मि. तारको सेन्जेर जाली	घ.मी.	२७३००	२७३००	२७३००	
*	सेन्जेरबाट बुनेको सेन्जेर मिश्र कोटेड ग्याबियन जाली.पटकोपीच सेललाई १० X १२ से.मि. सेल थोर ३ मि.मि. सेलपेज थोर २.१ मि.मि. सेलपेज थोर २.६ मि.मि. मि.मि.)	घ.मी.	२२४१५	२२४१५	२२४१५	
*	सेन्जेरबाट बुनेको सेन्जेर मिश्र कोटेड ग्याबियन चार सेल मिश्र	घ.मी.	२८८१५	२८८१५	२८८१५	
५०	जी.बाइ. तार १४ एक इन्चु.जी.	के.जी.	१२४६८	१२४६८	१२४६८	
५१	जी.बाइ. तार १२ एक इन्चु.जी.	के.जी.	११४६६	११४६६	११४६६	
५२	कमाने रीबन्ड					
	क) ३ X २० मि.मि.	के.जी.	१७४१२	१७४१२	१७४१२	
	ख) ४ X २० मि.मि.	के.जी.	१७४१२	१७४१२	१७४१२	
५३	कमाने रीबन्डबाट	घ.मी.	४,०९४००	४,०९४००	४,०९४००	

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right and several signatures across the bottom.



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	धनुषा		म.अ.क. बाईकोटो दर्रेट		कैफियत
			मा.ब. ०५५/८०	मा.ब. ०८०/८१	मा.ब. ०८१/८२ को स्वीकृत दररेट		
५४	कलामे गेट	ब.मी.	४,०९५/००		४,०९५/००		४,०९५/००
५५	कोर्कोन्चक गेट	ब.मी.	४,५४५/३९		४,५४५/३९		४,५४५/३९
५६	कलामे ट्युबनर टुब सेन्डिग सलित	के.जी.	१७४/७२		१७४/७२		१७४/७२
५७	ऐगल बाबरन सिंथिन काइज	के.जी.	१११/०४		१११/०४		१११/०४
५८	स्ट्रक्चरल स्टील	के.जी.	१०९/२०		१०९/२०		१०९/२०
५९	मोनिटर इकायावर (इको गिल बनाई नदाम गर्ने काम एककोटो प्राईमर छमेत)	के.जी.					१४१/००
६०	Sheet pile Z pile	के.जी.	२८५/३८		२८५/३८		२८५/३८
६१	सिट पाइल (३ मि.मि -१० मिमि) with Driving ,2m गहिराई सम्म						२५०/००
६२	सिट पाइल (१२ मि.मि -३० मिमि) with Driving ,2m गहिराई सम्म						२५०/००
६३	सिन्डन चार्ज	के.जी.	४९१/४		४९१/४		४९१/४
६४	मस्युटी बुक जाती						
i	कुमाइ बुक गेट १८ सेन् (साधारण)	ब.मी.	३२५/०		३२५/०		३२५/०
ii	कुमाइ बुक गेट १८ सेन् (स्टिलको राखी)	ब.मी.	४०५/५८		४०५/५८		४०५/५८
iii	बर्फ जाती	ब.मी.	६२५/१०		६२५/१०		६२५/१०
iv	कुखुरे जाती (GI-Chicken wire mesh)	ब.मी.					८६/००
६५	एक्स सेन्डेड गेटल	ब.मी.	१८५/१४		१८५/१४		१८५/१४
६६	बामुवा चाल्ने जाती	ब.मी.	२७३/००		२७३/००		२७३/००
६७	कन्स्ट पाता	साटा	रंगीन	साटा	रंगीन	साटा	रंगीन
	क) कन्स्ट पाता २२ गेज (तेपी 0.60 mm)	ब.मी.	१०९/५८	११४/५५	१०९/५८	११४/५५	११४/५५
	ख) " " २४ " (तेपी 0.52 mm)	ब.मी.	९९/५७	१००/५७	९९/५७	१००/५७	१००/५७
	ग) " " २६ " (तेपी 0.41 mm)	ब.मी.	५४/३१	८४/३१	५४/३१	८४/३१	८४/३१
	घ) " " २८ " (तेपी 0.31 mm)	ब.मी.	६४/५५	७५/५५	६४/५५	७५/५५	७५/५५
	ङ) " " ३० " (तेपी 0.24 mm)	ब.मी.	९१/२५	९६/२५	९१/२५	९६/२५	९६/२५
६८	ट्रान्स्मिरेन्ट सिट कन्स्टपाता	ब.मी.	१,०५३/१०		१,०५३/१०		१,०५३/१०
६९	बी.बाइ.प्लेन सिट						
	क) २२ गेज	ब.मी.	८०२/६२		८०२/६२		८०२/६२
	ख) २४ " "	ब.मी.	७४२/५६		७४२/५६		७४२/५६
	ग) २६ " "	ब.मी.	७०९/५०		७०९/५०		७०९/५०
	घ) २८ " "	ब.मी.	६८५/४६		६८५/४६		६८५/४६
	ङ) ३० " "	ब.मी.	६४५/४०		६४५/४०		६४५/४०
	च) ३२ " "	ब.मी.	६३३/३६		६३३/३६		६३३/३६
७०	ने.हुक/पु.हुक	संख्या	६३३/४		६३३/४		६३३/४
७१	विट्रुमीन बाबर	संख्या	३२८		३२८		३२८
७२	एक्ससेन्डिग विमेन्ट सिट	ब.मी.	५६४/४०		५६४/४०		५६४/४०
७३	" " बुटी	र.मी.	३८५/६६		३८५/६६		३८५/६६
७४	छाना छडने भाटोको टायल	संख्या	३६/०४		३६/०४		३६/०४
७५	" " बुटी	संख्या	३५/३		३५/३		३५/३
७६	" " विमेन्ट टायल	ब.मी.	१८०/१८		१८०/१८		१८०/१८
७७	" " बुटी	र.मी.	१९६/६६		१९६/६६		१९६/६६
७८	" " स्वानीय कण्डा	इन्जर	३,६६९/१२		३,६६९/१२		३,६६९/१२
७९	बर (१५ से.मी.)	संख्या	२९/४८		२९/४८		२९/४८
८०	बाँस (कानिया १०' सायो)	संख्या	३००/३०		३००/३०		३००/३०
८१	नाइजन डोरी	के.जी.	२७३/००		२७३/००		२७३/००
८२	नाइजन " "	के.जी.	१४३/८८		१४३/८८		१४३/८८
८३	नाइको " "	के.जी.	१०३/७४		१०३/७४		१०३/७४
८४	चटाई/मान्द्रो	ब.मी.	१४१/९६		१४१/९६		१४१/९६
८५	बनमाइका राखी	ब.मी.	४०२/३२		४०२/३२		४०२/३२
८६	कोप्याईका	ब.मी.					८६/००
८७	निनीनियम	ब.मी.	१८५/१४		१८५/१४		१८५/१४
८८	सान काठ चिरान	घ.मी.	२२३,०८०/००		२२३,०८०/००		२२३,०८०/००
८९	सिली काठ चिरान	घ.मी.	१२९,२६४/००		१२९,२६४/००		१२९,२६४/००
९०	स्वानीय जामुन काठ चिरान	घ.मी.	१४९,८२६/००		१४९,८२६/००		१४९,८२६/००
९१	स्वानीय काठ चिरा (बाँस,कटर र मो बरत)	घ.मी.	४५,२००/००		४५,२००/००		४५,२००/००
९२	बन्ध कुकाटको चिरान	घ.मी.	३४,३२०/००		३४,३२०/००		३४,३२०/००
९३	सान काठ गोनिया	घ.मी.	११२,११२/००		११२,११२/००		११२,११२/००
९४	सिली काठ गोनिया	घ.मी.	८८,०८८/००		८८,०८८/००		८८,०८८/००
९५	स्वानीय काठ गोनिया	घ.मी.	७४,४६८/००		७४,४६८/००		७४,४६८/००
९६	बन्ध कुकाट गोनिया	घ.मी.	२७,४४६/००		२७,४४६/००		२७,४४६/००
९७	सान काठको चिरान ज्याला	घ.मी.	१,८३०/४०		१,८३०/४०		१,८३०/४०
९८	सिली तथा बन्ध स्वानीय काठ चिरान ज्याला	घ.मी.	१,६०९/६०		१,६०९/६०		१,६०९/६०
९९	बन्ध कुकाटको चिरान ज्याला	घ.मी.	१,२४८/४०		१,२४८/४०		१,२४८/४०
१००	साउण	के.जी.	१५/१		१५/१		१५/१
१०१	बार.वि.वि. चिकारुट रेडिग पोस्टाई-१"सायो)	गोटा	३८/२२		३८/२२		३८/२२
१०२	" " (२'-०"सायो)	गोटा	२८/३९		२८/३९		२८/३९
१०३	" " (२'-०"सायो)	गोटा	३८/२२		३८/२२		३८/२२
१०४	" " (१'-६"सायो)	गोटा	२०/५५		२०/५५		२०/५५
१०५	" " (१'-६"सायो)	गोटा	२९/४८		२९/४८		२९/४८
१०६	" " (१'-०"सायो)	गोटा	१५/४७		१५/४७		१५/४७
१०७	चिकेन्टेड बाडी (१'६" X १'०")	गोटा	१९/६		१९/६		१९/६
१०८	" " (२'०" X १'६")	गोटा	३४/६०		३४/६०		३४/६०
१०९	" " (२'०" X २'०")	गोटा	३६/६२		३६/६२		३६/६२
११०	चिकेन्टेड कुलोर् टाइल (१०" X १०")						
i	साटा	गोटा	१९/६		१९/६		१९/६
ii	रंगीन	गोटा	२६/२९		२६/२९		२६/२९
१११	बार जी जी इन्चुष काइज		NP2 NP3		NP2 NP3		NP2 NP3
i	" " -१" X १" ली.मि	मीटर	४१४/५५	१२०/४६	४१४/५५	१२०/४६	४१४/५५ १२०/४६
ii	" " -१" X १" ली.मि	मीटर	३४०/५५	१२५/५०	३४०/५५	१२५/५०	३४०/५५ १२५/५०

Handwritten signatures and stamps at the bottom of the page, including a circular stamp with text.



निर्माण सामग्री तथा इजाजतीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	मू.अ.क. बाहेकको दररेट			कैफियत
			मा.च. ०५१/६०	मा.च. ०५०/६१	मा.च. ०५१/६२ को स्वीकृत दररेट	
iii	-१०" १२०० मि	मीटर	११३००	११४२०	११३००	११४२०
iv	-११" १३०० मि	मीटर	११४००	११५२०	११४००	११५२०
v	-१२" १४०० मि	मीटर	११५००	११६२०	११५००	११६२०
vi	-१२" १४०० मि	मीटर	११६००	११७२०	११६००	११७२०
vii	-१३" १५०० मि	मीटर	११७००	११८२०	११७००	११८२०
viii	-१४" १६०० मि	मीटर	११८००	११९२०	११८००	११९२०
ix	-१४" १६०० मि	मीटर	११९००	१२०२०	११९००	१२०२०
x	-१५" १७०० मि	मीटर	१२०००	१२१२०	१२०००	१२१२०
xi	-१०" १२०० मि	मीटर	१०२०००	१०३०००	१०२०००	१०३०००
११२	बुसब नीचालको सिप १' dia (१०" ड्याच)					
i	१मी (छाड इकोप भएको)	मोटा	४४१००		४४१००	४४१००
ii	इस्केन	मोटा	४९१४०		४९१४०	४९१४०
११३	बुसब नीचालको सिप १' dia ३५२ १/२ नमिन					
i	न्यानीच सिट	मोटा	४९१४०		४९१४०	४९१४०
ii	सोभिनच सिट	मोटा	६००९०		६००९०	६००९०
११४	फेनिच कोल १' हाचो	सफा	१९११०		१९११०	१९११०
११५	" " "	सफा	२४१६०		२४१६०	२४१६०
११६	Readymade RCC door, window & ventilation frame of section 4"x2.75" with concrete mix design of 1:1 proportion & 2 nos of 7 mm ϕ rebar including arrangement of necessary holes and safety plates all complete. (Chitawan's Rate)	च.फि.	२४१६०		२४१६०	२४१६०
११७	Readymade RCC door & window frame (Semi circular) of section 4"x2.75" with concrete mix design of 1:1 proportion & 2 nos of 7 mm ϕ rebar including arrangement of necessary holes and safety plates all complete. (Chitawan's Rate)	च.फि.	४९१४०		४९१४०	४९१४०
११८	Precast R.C.C. Drain in M25 per meter					
	90cm*90cm*125mm	Per.metre				१२,९५६.०
	75cm*75cm*125mm	Per.metre				१०,५९६.६
	60cm*60cm*125mm	Per.metre				६,६०४.२९
	45cm*45cm*125mm	Per.metre				६,९९०.०४
	30cm*40cm*125mm	Per.metre				६,९४०.४७
	25cm*40cm*125mm	Per.metre				६,९६३.६९
११९	Precast R.C.C. Drain Cover in M25					
	90 cm	per meter				३,९५३.६९
	75 cm	per meter				३,०६४.४४
	60 cm	per meter				३,३६६.५५
	45 cm	per meter				३,९०३.६९
	30 cm	per meter				३,९०३.६९
१२०	PVC plastic Heavy Duty manhole cover					
	24"x24"	set				३,६२५.०१
	18"x24"	set				४,०२३.००
	18"x18"	set				३,९६६.००
१२१	Square Frame Heavy Duty					
	27"x27" (45 kg)	set				६,९०४.००
	22"x22" (22 kg)	set				६,९६६.००
१२२	Square Frame medium Duty					
	27"x27" (31 kg)	set				६,९६६.००
	22"x22" (20 kg)	set				३,३३३.००
१२३	Cast Iron (C.I.) Rounded Manhole cover with square Frame including Supplying and fixing works	Per.Kg.				१००९९
१२४	C.I. Gully Gratings					
	i) 15"x18" Medium (18kg)	set				४,२२६.००
	ii) 15"x18" Heavy (25kg)	set				६,६०३.००
१२५	Grid Cover- फलामे इञ्जु लको फ्रेममा फलामे पत्तीको जाली बनाई फिब्रिकेसन् कार्य गरि, एक कोट Red oxide paint लगाई जडान गर्ने काम	के.जी.				१६५००
१२०	सिपा					
	क) ३ मि.सि. बाको	च.मी.	७४२४६		७४२४६	७४२४६
	ख) ४ मि.सि. बाको	च.मी.	६२९९२		६२९९२	६२९९२
	ग) ५ मि.सि. बाको	च.मी.	९२००४		९२००४	९२००४
	घ) ६ मि.सि. बाको	च.मी.	९,२६६.६६		९,२६६.६६	९,२६६.६६
	ङ) ८ मि.सि. बाको	च.मी.				१,५०६.४४
	च) १० मि.सि. बाको	च.मी.				२,९०६.४४
	छ) १२ मि.सि. बाको	च.मी.				३,९०६.४४
१२१	कन्सिडिन प्लाईवुड					
	क) ३ मि.सि.	च.मी.	२६३९२		२६३९२	२६३९२
	ख) ४ मि.सि.	च.मी.	३४३९६		३४३९६	३४३९६
	ग) १२ मि.सि.	च.मी.				६०५३०
	घ) १८ मि.सि.	च.मी.				१,२२५४०
१२२	वाटरपुफ प्लाईवुड					
	क) ६ मि.सि.	च.मी.	६२५९०		६२५९०	६२५९०
	ख) ९ मि.सि.	च.मी.	१,००४९४		१,००४९४	१,००४९४
	ग) १२ मि.सि.	च.मी.	१,३५९९२		१,३५९९२	१,३५९९२
१२३	टिक प्लाईवुड					
	क) ३ मि.सि.	च.मी.	६६६२०		६६६२०	६६६२०
	ख) ४ मि.सि.	च.मी.	६६६९६		६६६९६	६६६९६
१२४	सिपटी काठको					
	क) ०.५" बाको	र.मी.	६०१		६०१	६०१
	ख) ०.७५" बाको	र.मी.	१४९६		१४९६	१४९६
	ग) १" बाको	र.मी.	१५२०		१५२०	१५२०

Handwritten signatures and stamps at the bottom of the page, including a circular stamp and the text 'page 1 of 29'.



निर्माण सामग्री तथा बुचालीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	धनुषा			कैफियत
			मा.प. ०५१/८०	मा.प. ०५०/८१	मा.प. ०५१/८१ को स्वीकृत दररेट	
	का १२" बाकली	र मी	२५१५	२५१५	२५१५	
१२५	डा २" बाकली	र मी	२५१५	२५१५	२५१५	
	का ४ मि मि	ब मी	१२५१०	१२५१०	१२५१०	
	का १२ मि मि	ब मी	१४४२८	१४४२८	१४४२८	
१२६	साट्टर बुक कम्पाउण्ड	के जी	१०९१२०	१०९१२०	१०९१२०	
१२७	सावैत पिचम १ मि मि. बाकली	ब मी	१५१९१००	१५१९१००	१५१९१००	
१२८	सकनसिक एलुमिना	के जी	१२५१८	१२५१८	१२५१८	
१२९	वेन पालिस	मिटर	४९९१९	४९९१९	४९९१९	
१३०	एन्फोस्फोरस	मिटर	१४१९९	१४१९९	१४१९९	
१३१	सेराको टाइल २० मि मि	मिटर	५४३४८	५४३४८	५४३४८	
१३२	पोरसिभल मोड्यु टाइल	ब मी	१,१२४५५	१,१२४५५	१,१२४५५	
१३३	मन-मोड्यु टाइल	ब मी	१,११९१०	१,११९१०	१,११९१०	
१३४	मन पिचड टाइल	ब मी	१,०५०९९	१,०५०९९	१,०५०९९	
१३५	सिमेन्ट फ्लोर टाइल १०" X १०"	ब मी	१,४४१८	१,४४१८	१,४४१८	
१३६	सावैत टाइल १२ X १२ मि मि. बाकली	ब मी	३,८५११०	३,८५११०	३,८५११०	
१३७ २२ ..	ब मी	४,०२९४८	४,०२९४८	४,०२९४८	
१३८	फ्लोर टाइल (२४" X २४"), एन्फोस्फोरस	मोटा	४९४९०	४९४९०	४९४९०	
१३९	फ्लोर टाइल (२४" X २४"), पार्सिभल	मोटा	४९१८०	४९१८०	४९१८०	
१४०	पि मि मि टाइल - १०" X १०"	मोटा	६८५९९	६८५९९	६८५९९	
१४१	पेकर .. - १०" X १०"	मोटा	८१९१००	८१९१००	८१९१००	
१४२	मोजाइक .. - १०" X १०"	मोटा	१,००४९४	१,००४९४	१,००४९४	
१४३	पेन्क .. - १०" X १०"	मोटा	१,१९४१४	१,१९४१४	१,१९४१४	
१४४	कार्पेट .. - १०" X १०"	मोटा	१,१३०२२	१,१३०२२	१,१३०२२	
१४५	मार्ट .. - १०" X १०"	मोटा	२,०९४१४	२,०९४१४	२,०९४१४	
१४६	Ceramic Wall tile (31X45cm)	ब मी			२,०५४१४	
१४७	Ceramic Floor tile (31X45cm)	ब मी			१,९९४१४	
१४८	24"X24" GVT	ब मी			१,९९४१४	
१४९	24"X24" GRES Vitrified (Digital Floor)	ब मी			१,९९४१४	
१५०	12"X12" GRES homogenous Vitrified parking tile	ब मी			१,९९४१४	
१५१	24"X24" Vitrified tiles	ब मी			१,२९४१४	
१५२	Double Charge Floor tile (800X800mm)	ब मी			१,९९४१४	
१५३	Double Charge Floor tile (600X600mm)	ब मी			१,९९४१४	
१५४	Ceramic Floor -Terrace/Kitchen (397mm*397mm)	ब मी			१,२०९१४	
१५५	Parking Tiles-Digital Vitrified (12mm) (400mmX400mm)	ब मी			१,२२९१४	
१५६	GVT Floor Tiles (Glazed Vitrified tiles) (600mm*600mm)	ब मी			१,९९४१४	
१५७	GVT Floor Tiles (Glazed Vitrified tiles) (600mm*1200mm)	ब मी			२,९९४१४	
१५८	GVT Floor Tiles (Glazed Vitrified tiles) (800mm*800mm)	ब मी			१,९९४१४	
१५९	DCH Floor Tile (Double Charge) (600mm*1200mm)	ब मी			१,९९४१४	
१६०	Bathroom/kitchen Wall-Ceramic (300mm*600mm)	ब मी			१,९९४१४	
१६१	Vitrified Elevation Tile (300mm*600mm)	ब मी			१,९९४१४	
१६२	Vitrified Floor-matte (600mm*600mm)	ब मी			१,९९४१४	
१६३	सेनाइट ब्लॉक २० मि मि. बाकली	ब मी	४,०२९४८	४,०२९४८	४,०२९४८	
१६४	बाली बोर (बुटको टुली)	संख्या	४१५८	४१५८	४१५८	
१६५ (बुटको बाली)	संख्या	२४१०२	२४१०२	२४१०२	
१६६ (पार्सिभलको बाली)-प्रयोग नभएको	संख्या	८१४	८१४	८१४	
१६७ -प्रयोग भएको	संख्या	५६४	५६४	५६४	
१६८	पुरानो बाली सिमेन्टको बोर	संख्या	१४१००	१४१००	१४१००	
१६९	डोब्रिड बोर्ड				१४१००	
	का) जस्ताका सेबको (१ मिटर*४ मिटर)	संख्या	२,९८४१०	२,९८४१०	२,९८४१०	
	का) फ्लेक्स मिन्ट (१ मिटर*४ मिटर)	संख्या	१,४५४२०	१,४५४२०	१,४५४२०	
१७०	Flex print नर्स कार्ड				१,४५४२०	
	A. Backlid paper	sq. ft			१००००	
	B. Glossing paper	sq. ft			८०००	
	C. Star paper	sq. ft			१०००	
	D. Normal paper	sq. ft			१०००	
	E. Flex hanger	sq. ft			१०००	
१७१	बुब	के जी	५३४	५३४	५३४	
१७२	गोबर	के जी	४२०	४२०	४२०	
१७३	घाँस	के जी	४२४	४२४	४२४	
१७४	गम	के जी	१८०९८	१८०९८	१८०९८	
१७५	सेतो सिमेन्ट	के जी	१००९	१००९	१००९	
१७६	बुला १ नं	के जी	२४१०२	२४१०२	२४१०२	
१७७	ब्रकर (डाइमर)	मिटर	३८३२०	३८३२०	३८३२०	
१७८	डाइमर (सावैत): मोड्युई	के जी	३०५५	३०५५	३०५५	
१७९	साट्टरबुक सिमेन्ट बन्ट	के जी	१३८२	१३८२	१३८२	
१८०	सन्तुलनीय बन्ट	मिटर	३३१०८	३३१०८	३३१०८	
१८१	सेन रन सपारी	मिटर	३३१०८	३३१०८	३३१०८	
१८२	पार्सिभल इन्जिन बन्ट	मिटर	४०९८०	४०९८०	४०९८०	
१८३	सावैत बन्ट	मिटर	३३४१०	३३४१०	३३४१०	
१८४	बनकतार बन्ट	मिटर	१४५४२	१४५४२	१४५४२	
१८५	बनो पार्सिभल रीड बन्ट सडकमा बाँध्नुपर्ने बाँस	ब मी	१,४५४२०	१,४५४२०	१,४५४२०	
१८६	सिमेन्ट बाँस	मिटर	१४५४२	१४५४२	१४५४२	

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp and various scribbles.



निर्माण सामग्री तथा इजानाको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	धनुषा				म.अ.क. बाहेकको दररेट	म.अ.क. बाहेकको दररेट	म.अ.क. बाहेकको दररेट	टिप्पणी
			मा.स. ०७९/८०		मा.स. ०८०/८१					
१८७	इजायन कैंचो (रातो)	मिटर	१३३३		१३३३		१३३३			
१८८	Plaster of paris paint	के.जी.	२२९१		२२९१		२२९१			
१८९	Birla or JK putti paint	के.जी.	७५४४		७५४४		७५४४			
१९०	बेरकोट केट (एरेका)	मिटर	७५४४		७५४४		७५४४			
१९१	गमरब	के.जी.	३२७		३२७		३२७			
१९२	सफा	के.जी.	१२०१		१२०१		१२०१			
१९३	बछा	के.जी.	१२२४४		१२२४४		१२२४४			
१९४	मिट्ट	मिटर	८५३१		८५३१		८५३१			
१९५	wall putty Normal	के.जी.					३५१००			
१९६	wall putty water proof	के.जी.					१०००			
	Aluminium Composite panel(ACP)									
१९७	Providing and Fixing ACP Cladding on wall (exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF core) on 25*38 mm Aluminium Tube Framing	Sq.ft						३५५००		
१९८	Providing and Fixing ACP Cladding on wall (exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF core) on 25*38 mm Aluminium Tube Framing	Sq.ft						४७५००		
१९९	Head Works ,Head Regulator ,Gear System Gate	kg						४००००		
२००	विद्युतीय (बलकतार)									
२	VG-10(New M.S.) drum Packed)	के.जी.		११६१००		११६१००		११६१००		
३	VG-30(New M.S.) drum Packed)	के.जी.		११५६०		११५६०		११५६०		
२०१	Cationic Bitumen Emulsion (Himalson)		HDP Drum Packed	MS Drum Packed	HDP Drum Packed	MS Drum Packed	HDP Drum Packed	MS Drum Packed		
1	Rapid Setting(R/S 60%)	के.जी.	१०४९२	१००५१	१०४९२	१००५१	१०४९२	१००५१		
2	Rapid Setting(R/S 65%)	के.जी.	११०५८	१०६१७	११०५८	१०६१७	११०५८	१०६१७		
3	Rapid Setting(R/S 70%)	के.जी.	११६१४	११३३३	११६१४	११३३३	११६१४	११३३३		
4	Medium Setting(M/S 60%)	के.जी.	१०४९७	१०१३६	१०४९७	१०१३६	१०४९७	१०१३६		
5	Medium Setting(M/S 65%)	के.जी.	१०६३०५	११२२०	१०६३०५	११२२०	१०६३०५	११२२०		
6	Slow Setting(S/S 60%)	के.जी.	१०९४४	१०८९०	१०९४४	१०८९०	१०९४४	१०८९०		
7	Slurry Seal(S/Seal 60%)	के.जी.	१०९४४	१११४०	१०९४४	१११४०	१०९४४	१११४०		
8	Cut Back(MC 30)	के.जी.	१७२९०	१७८२०	१७२९०	१७८२०	१७२९०	१७८२०		
9	Cut Back (MC 70)	के.जी.	१५४३१	१५५१००	१५४३१	१५५१००	१५४३१	१५५१००		
10	Cut Back (MC800)	के.जी.	१५४३१	१५५१२४	१५४३१	१५५१२४	१५४३१	१५५१२४		
२०२	ड्रेपि रंग २ मि.मि. X ३ मि.मि.	ब.मी.		३२५६०		३२५६०		३२५६०		
२०३	3 Coat Dr.fixit "New Coat" over primer	Sq.Mt		९८२०८०		९८२०८०		९८२०८०		
२०४	2mm thik Dr.fixit "Toucrhshield" over primer	Sq.Mt		७९११००		७९११००		७९११००		
२०५	2 Coat Dr.fixit "Pidifin 2k"	Sq.Mt		४९११४०		४९११४०		४९११४०		
२०६	2 Coat Dr.fixit "super create"	Sq.Mt		६०६१०९		६०६१०९		६०६१०९		
२०७	2 Coat Dr.fixit "Bioshield" over primer	Sq.Mt		२७८४४६		२७८४४६		२७८४४६		
२०८	2 Coat Dr.fixit "Hygiene Cout" over primer	Sq.Mt		२३४१७८		२३४१७८		२३४१७८		
२०९	2 Coat Dr.fixit "Birla Putty"	Sq.Mt		१५२०८८		१५२०८८		१५२०८८		
२१०	2 Coat Epoxy Coating over primer	Sq.Mt		१,५८३,४४०		१,५८३,४४०		१,५८३,४४०		
२११	Providing, surface preparation, chipping and removing adhesive from floor and wall and applying HY series polyethylene/ Polypropylene composite waterproofing membrane sheet on wall and floor as required including all complete works.	Sq.M.						१,९९,५००		
२१२	निद्र (पाइप ज्वाइन्टको)	के.जी.		१५२०८८		१५२०८८		१५२०८८		
२१३	ड्रेकर बौन्ड वा ग्रेटर बौन्ड रुफाभिट	के.जी.		१,५०१,५००		१,५०१,५००		१,५०१,५००		
२१४	रबर लिन २३० मि.मि.	मीटर		४५४९०		४५४९०		४५४९०		
२१५ १२० ..	मीटर		३५४९०		३५४९०		३५४९०		
२१६ सेन्चन	मीटर		२७३१००		२७३१००		२७३१००		
२१७	ड्रेम (बनघाट)	मीटर		१५२०८८		१५२०८८		१५२०८८		
२१८	पोलिमिन मिट ५०० ग्रेज	ब.मी.		४४९०		४४९०		४४९०		
२१९	टारफेन्ट (रफ)	ब.मी.		१३५५०		१३५५०		१३५५०		
२२०	टारफेन्ट डि पि ग्रेड	ब.मी.		१५२०८८		१५२०८८		१५२०८८		
२२१	रफ पुटिंग	के.जी.		१८५९४		१८५९४		१८५९४		
२२२	Safe Crete (1000 ml)	मिटर		३२५६०		३२५६०		३२५६०		
२२३	Safe Mite (1000 ml)	मिटर		३२५६०		३२५६०		३२५६०		
२२४	Silica Cement Admixture	के.जी.		३५४९०		३५४९०		३५४९०		
२२५	ज्वाइन्ट फिलर	के.जी.		१,१४९,९००		१,१४९,९००		१,१४९,९००		
२२६	ज्वाइन्ट फिलर	के.जी.		१,१९,९००		१,१९,९००		१,१९,९००		
२२७	रबर लिन बाटर स्टप (विश्वी कालु ज्वाइन्ट हुने रचना लगी)									
i	१२० मि.मि.	र.मि.		४९२०८		४९२०८		४९२०८		
ii	२३० मि.मि.	र.मि.		६८५९९		६८५९९		६८५९९		
२२८	इपोसी काइडिग एजेन्ट	र.मि.		४७५,१०२		४७५,१०२		४७५,१०२		
२२९	Concrete (1:1.45:2.65) with Microceal Super Plasticiser	र.मि.		१,९९,२९०		१,९९,२९०		१,९९,२९०		
२३०	Expension Joint with Sealant	र.मि.		१,०९,२००		१,०९,२००		१,०९,२००		
२३१	Carbon Fibre UPVC Roofing Sheet including the cost of material and labour fitting, fixing all complete job.									
i	3mm	Sq.Mt		१,८०,९१०		१,८०,९१०		१,८०,९१०		
ii	2mm	Sq.Mt		१,९०,४४०		१,९०,४४०		१,९०,४४०		
२३२	मडिसेब र डिसेब	मिटर								
२३३	रेटुब	मिटर								
२३४	Aluminium fixed panel window with Ventilation but without fly mesh shutter from section (88 x38 1x1 3)mm and 5mm glass.	ब.मी.		१,७०,४४०		१,७०,४४०		१,७०,४४०		

Handwritten signatures and notes at the bottom of the page, including names like 'Kishor', 'Sudip', and 'S.T.' with various scribbles and initials.



निर्माण सामग्री तथा बुजानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	धनुषा			कैलियत
			मा.व. ०५१/८०	मा.व. ०६०/८१	मा.व. ०६१/८२ को स्वीकृत दररेट	
२३५	Aluminium fixed panel window with Ventilation but with fly mesh shutter from section (88 x38.1x1.3)mm and 5mm glass.	व.मी.	५,१०५२०	५,१०५२०	५,१०५२०	
२३६	Aluminium sliding window without Ventilator from section (101 x45x1.50)mm and 5mm glass.	व.मी.	५,०९६१००	५,०९६१००	५,०९६१००	
२३७	Aluminium sliding window with Ventilator from section (101 x45x1.50)mm and 5mm glass.	व.मी.	५,१४४१००	५,१४४१००	५,१४४१००	
२३८	Aluminium Framed Sliding Windows with flymesh shutter in the section of 88 x 30 x 1.10 mm with including 5 mm thick Glass	व.मि.	४,१२५१५	४,१२५१५	४,१२५१५	
२३९	Aluminium Framed Sliding Windows without flymesh shutter in the section of 88 x 30 x 1.10 mm with including 5 mm thick Glass	व.मि.	४,१४११००	४,१४११००	४,१४११००	
२४०	Aluminium fixed panel window With ventilation but without fly mesh shutter from section (88 mmx38.1mm x1.1mm , Glass 4.75 - 5mm)	व.मि.	४,२११५५	४,२११५५	४,२११५५	
२४१	Aluminium fixed panel window With ventilation but without fly mesh shutter from section (88mmx38.1mm x1.3mm , Glass 4.75-5mm)	व.मि.	६,२१३१०	६,२१३१०	६,२१३१०	
२४२	Aluminium fixed panel window With Ventilation with fly mesh shutter from section (88mmx38.1mm x1.3mm , Glass 4.75-5mm)	व.मि.	५,६२११५	५,६२११५	५,६२११५	
२४३	Aluminium framed Sliding window Without ventilator (Aluminium :- Natural anodised 101mmx45mm x1.50mm , Glass 4.75-5mm clear)	व.मि.	५,६२११५	५,६२११५	५,६२११५	
२४८	Aluminium sliding door section (101 x45 x1.5)mm with sash 40x45x1.5mm and 5mm glass.	व.मी.	६,०८०६०	६,०८०६०	६,०८०६०	
२३९	Casement double panel aluminum windows with Ventilation section of (54x33x1.5)mm with sash 38x34x1.5mm and 5mm glass.	व.मी.	५,६४४१००	५,६४४१००	५,६४४१००	
२४०	Aluminium casement door section of (101 x45 x1.1)mm sash 40x45x1.1mm & 5mm glass.	व.मी.	१३,१०४१००	१३,१०४१००	१३,१०४१००	
२४१	Aluminium swing door section of (101 x45 x1.5)mm & 5mm glass.	व.मी.	६,३४३६०	६,३४३६०	६,३४३६०	
२४२	Aluminium sliding window 2 track section of (88 x38x1.5)mm & 5mm glass.	व.मी.	६,४४२००	६,४४२००	६,४४२००	
२४३	Aluminium fixed window and partition with fixed ventilator from 9mm board and section (101 x45x1.5)	व.मी.	६,४४२००	६,४४२००	६,४४२००	
२४४	Aluminium partition with 5mm thick glass and 9mm thick laminated board of section (101 x45x1.1)	व.मी.	६,४४२००	६,४४२००	६,४४२००	
२४५	Aluminium partition with 5mm thick glass and 9mm thick laminated board of section (64 x38x1.1)	व.मी.	६,११४२०	६,११४२०	६,११४२०	
२४६	Expansion joint works					
i	Providing, chiping and plaster with mixing Perma Bond SBR modified mortar upto 40mm wide on levelling all complete. Providing and laying thermacol in the hole, providing masking tape on thermacol and covering with alluminium V shape member all complete	व.मी.	५,२५८१८	५,२५८१८	५,२५८१८	
ii	24 gauge alluminium sheet	व.मी.	९००१९०	९००१९०	९००१९०	
२४७	Land Scaping works					
i	60mm interlocking cement concrete block M-20 grade	व.मी.	९१६१८	९१६१८	९१६१८	
ii	70mm interlocking cement concrete block M-20 grade	व.मी.	७०९६०	७०९६०	७०९६०	
iii	Curve stone M-30 grade (45x38x15cm/piece)	मिटर	१,१९०२८	१,१९०२८	१,१९०२८	
२४८	Gypsum board ceiling 12.5mm thick with providing, fitting, fixing under G.I.frame (600x600 mm) finishing of joints with compound & tape all complete	व.मी.	९९०९९	९९०९९	९९०९९	
२४९	Metalized polyester board (MPL) false ceiling plain	व.मी.	१,१०८३८	१,१०८३८	१,१०८३८	
२५०	Supply and erection of different mm th. Cement base preabricated everst solid wall panel (RAPION) Non asbestors including 1.1 mm thick GI hennel (50X25X20) mm with necessary assessoris and fitting charge in partation wall all complete.					
१	75 mm thick	Sq. ft.			११५१०	
२	50 mm thick	Sq. ft.			२४०९५	
२५१	False Ceiling/Partition clading (कन्सिडर उपकरण सहको मूलात विवर प्रदा)					
२५२	Supplying, making, fixing of false ceiling with everest fiber designer board in E-grid	Sq. ft.			१७५५	

Handwritten signatures and notes at the bottom of the page, including a signature that appears to be 'S. P. Singh' and other illegible marks.



निर्माण सामग्री तथा बुनानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	धनुषा प्रशासनिक कार्यालय, प.अ.क. बातिको दररेट			कैफियत
			मा.स. ०७१/८०	मा.स. ०८०/८१	मा.स. ०८१/८२ को स्वीकृत दररेट	
२५३	Supplying,making,fixing of 70 mm thick exterior with full height of partiation with fiber cement board	Sq.ft.				१९३९५
२५४	Supplying,making,fixing of 66 mm thick exterior with full height of partiation with fiber cement board	Sq.ft.				१५५२०
२५५	Supplying,making,fixing of 91 mm thick exterior with full height of partiation with fiber cement board	Sq.ft.				१९५५५
२५६	Supplying,making,fixing of external cladding with 9 mm HD/7.5 mm sliding board.	Sq.ft.				१८५००
२५७	Supplying,making,fixing of 50 mm thick full height of partiation with RAPICON wall panels.	Sq.ft.				२२७८५
२५८	Supplying,making,fixing of 75 mm thick full height of partiation with RAPICON wall panels.	Sq.ft.				१०३५०
२५९	6 mm thick Flex-O board (Water proof cement board) 6mm thick for false ceiling.	Sq.ft.				१५५५
२६०	Aerolite AAC block(550 kg/m3),3N/mm2 strength					
१	600*200*100	मोटा				१५०००
२	600*200*150	मोटा				२३०००
३	600*200*200	मोटा				३००००
२६१	स्टेनलेस स्टील पाईप					
	३/४" व्यास भएको १६ गेज मोटाई	मिटर				२०३५०
	१" व्यास भएको १६ गेज मोटाई	मिटर				२५५५५
	१ १/४" व्यास भएको १६ गेज मोटाई	मिटर				३२५५०
	१ १/२" व्यास भएको १६ गेज मोटाई	मिटर				३९५५०
	२" व्यास भएको १६ गेज मोटाई	मिटर				४३५५०
	३" व्यास भएको १६ गेज मोटाई	मिटर				५१५५०
२६२	50mm Ø Stainless steel handrail with 50mm Ø post in 2m, interval with 25mm 3 nos. stainless steel pipe in horizontal with 3' height all complete.	मिटर	५,५५५२८	५,५५५२८		५,५५५२८
२६३	स्टेनलेस स्टील रेलिंगको कार्य-२ इन्च पर्ईपकोठाडो पोस्ट, २ इन्चको हेन्डरेल तथा १ इन्च व्यासको दुई तह तेर्सो पाईप राखी तयार गरि जडान गर्ने काम	मिटर				३,९९५२०
२६४	स्टेनलेस स्टील रेलिंगको कार्य-१.५ इन्च पर्ईपकोठाडो पोस्ट, २ इन्चको हेन्डरेल तथा १ इन्च व्यासको तिन तह तेर्सो पाईप राखी तयार गरि जडान गर्ने काम	मिटर				३,२७५५०
२६५	Retro Reflective Signage Board					
A.	Irc small Sign Boards (Type 11) 15 Years Warranty	Sq.ft		२,१५०००		२,१५०००
B.	Overhead Gantry , Csntilever , Big Shoulder Mounhted Board, Troll Plaza etc (Type 11) 15 Years Warranty	Sq.ft		२,२१५५७		२,२१५५७
C.	Irc small Sign Boards (Type 4) 15 Years Warranty	Sq.ft		१,९९१५७		१,९९१५७
D.	Overhead Gantry , Csntilever , Big Shoulder Mounhted Board, Troll Plaza etc (Type 4) 15 Years Warranty	Sq.ft		२,०७५००		२,०७५००
E.	Flexible Median Marker	Per Piece		५३२३३		५३२३३
F.	Raised Pavcment Marker	Per Piece		६६२५१		६६२५१
G.	Solar Stud	Per Piece		३,३९५५२		३,३९५५२
H.	Delineator	Per Piece		२,५१५५७		२,५१५५७
२६६	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य					
क	छानामा १:४ भागको सिमेन्ट मसला तयार गरी खट राखी १" बाक्लो प्लास्टरमा रफिग टायलको बुझा काट्ने समान सहित	व.मि.				६५५५५
ख	१" साइजको १:३ भागको मिश्रणको मसला तयार गरी खट राखी बासातको पानी पट्टि बनाउने काम	र.मि.				७८५५५
ग	१:४ मसलाको प्लास्टरमा डिजाइन अनुसार परमपरागत तरिकाले बुझा काट्ने काम समान सहित	व.मि.				३,३३५५५
२६७	Wooden Parquet Flooring					
A.	भयांगको रेलिंग तथा बार्दलीमा नुदिएको स्थानीय सिसो काठको इन्कसा(२'६"X१"X१")	मोटा				१,०८०००
B.	भयांगको रेलिंग तथा बार्दलीमा नुदिएको स्थानीय सिसो काठको हेन्डरेल (१"X४")	र.फी.				७२५००
C.	भयांगको रेलिंगको घुम्ने ठाउँमा नुदिएको सिसो काठको मोलो हेन्ड रेल (१"X४")	मोटा				२,१५०००
D.	सालको काठको आँधी इयाल तयार	ब.फि.				१,१२०००
E.	Shusam Wooden parqueting 150mmX30mmX8mm	Sq.ft				२२०००
F.	Wall panelling (with wood frame) sisam wood (75mmX16mm)	Sq.ft				१९५००

Handwritten signatures and initials at the bottom of the page, including names like 'Kumar', 'S', and 'ST'.



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	म.अ.क. बाहेकको दररेट			कैफियत	
			मा.सं. ०७९/८०	मा.सं. ०८०/८१	मा.सं. ०८१/८२ को स्वीकृत दररेट		
२९०	गो २२" X ११"	सेट	२,७४७२९	२,७४७२९	२,७४७२९		
२९१	एलीम पोरोसिनिम स्लेज बास सेलिन २२" X ११"	सेट	३,७२०७०	३,७२०७०	३,७२०७०		
२९२	निड पाइप (बास सेलिनको)	संख्या	२२७१४	२२७१४	२२७१४		
२९३	वेस्ट कन्सिप (बास सेलिनको)	संख्या	३८३९७	३८३९७	३८३९७		
२९४	वेस्ट पाइप ०.५" सेलिन १" बास	संख्या	२४३३९	२४३३९	२४३३९		
२९५	पोरोसिनिम स्लेज फुगिनल सेलिन	संख्या	१,८३८७२	१,८३८७२	१,८३८७२		
२९६	- - - - सेलिन	संख्या	२,३९०३४	२,३९०३४	२,३९०३४		
२९७	हाइ सेलिन फुगिनल सिस्टम	संख्या	३,०३९३०	३,०३९३०	३,०३९३०		
२९८	सी सेलिन फुगिनल सिस्टम पोरोसिनिम	संख्या	३,४७४९९	३,४७४९९	३,४७४९९		
२९९	- - - - प्लास्टिक	संख्या	१,८९२८०	१,८९२८०	१,८९२८०		
३००	पुनः प्रयोग सिस्टम (गुन सेट)	संख्या	१,३४२००	१,३४२००	१,३४२००		
३०१	सी बाइ पानी टकी (२० सेच)						
क)	४०० गैलन	संख्या	११,०००००	११,०००००	११,०००००		
ख)	३०० गैलन	संख्या	९,९४०७२	९,९४०७२	९,९४०७२		
ग)	२०० गैलन	संख्या	८,८४०४०	८,८४०४०	८,८४०४०		
घ)	१०० गैलन	संख्या	७,७४००८	७,७४००८	७,७४००८		
३०२	प्लास्टिक वाटर टैंक	लिटर	१३४२	१३४२	१३४२		
३०३	बमोजोल वाटर टैंक	लिटर	१३४२	१३४२	१३४२		
३०४	रुबानेट पेपर होन्डर	संख्या	२४४९८	२४४९८	२४४९८		
३०५	सावर रोड केन्सी टाइप	संख्या	७३४९९	७३४९९	७३४९९		
३०६	- - साधारण	संख्या	४०४९०	४०४९०	४०४९०		
३०७	कुकिंग गीस बाइकेट बनेत						
क)	२२" X ११"	संख्या	९४९९९	९४९९९	९४९९९		
ख)	१८" X १४"	संख्या	४९९९८	४९९९८	४९९९८		
ग)	१८" X १२"	संख्या	४९०९०	४९०९०	४९०९०		
३०८	टाइल १८" स्टील १८"	संख्या	३९९०७	३९९०७	३९९०७		
३०९	- - - ९"	संख्या	३९९९९	३९९९९	३९९९९		
३१०	सोप ट्रे स्टील	संख्या	२२९७३	२२९७३	२२९७३		
३११	- - पोरोसिनिम स्लेज	संख्या	४९९०९	४९९०९	४९९०९		
३१२	- - प्लास्टिक	संख्या	४९०९८	४९०९८	४९०९८		
३१३	ग्यास सेलिन	संख्या	१,९८९७६	१,९८९७६	१,९८९७६		
३१४	किचन सिंक स्टील २७" X १८" (डिभी)	संख्या	३,०३९३०	३,०३९३०	३,०३९३०		
३१५	- - - - सिंगल	संख्या	२,७०९००	२,७०९००	२,७०९००		
३१६	- - पोरोसिनिम स्लेज	संख्या	३,४९९२८	३,४९९२८	३,४९९२८		
३१७	फुगोर ट्रे (सेटिंग)						
४"	संख्या	८४	७४	३२	८४	७४	३२
३"	संख्या	६४	४३	२९	६४	४३	२९
२"	संख्या	४३	४४	१९	४३	४४	१९
३१८	सी बाइ पाइप (सेलिन)						
सी बाइ पाइप (सेलिन) ०.५"	मीटर	२२७१४	२२७१४	२२७१४			
- - - ०.७५"	मीटर	२८८७९	२८८७९	२८८७९			
- - - १"	मीटर	४४२३७	४४२३७	४४२३७			
- - - १.२५"	मीटर	४७७४७	४७७४७	४७७४७			
- - - १.५"	मीटर	६४४४४	६४४४४	६४४४४			
- - - २"	मीटर	९९९९२	९९९९२	९९९९२			
- - - २.५"	मीटर	१,९९९९२	१,९९९९२	१,९९९९२			
- - - ३"	मीटर	१,४४४८३	१,४४४८३	१,४४४८३			
- - - ४"	मीटर	२,०९९९०	२,०९९९०	२,०९९९०			
३१९	एच.डि.पी.ई. चार्ज १६ सेलिन २० वि.वि. डावा.	के.जी.	२९८४८	३३४४०	३३४४०		
३२०	एच.डि.पी.ई. चार्ज ४० सेलिन ३५ वि.वि. डावा.	के.जी.	२८७०४	३०९३९	३०९३९		
३२१	High Density Polythene Pipe NS-40	के.जी.			२८७००		
३२२	सी.पी.आर. पाइप १०/SDR						
सी.पी.आर. पाइप ०.५"	मीटर	८३२८	८३२८	८३२८			
- - - ०.७५"	मीटर	१२९७९	१२९७९	१२९७९			
- - - १"	मीटर	२९९३२	२९९३२	२९९३२			
- - - १.५"	मीटर	३९९९९	३९९९९	३९९९९			
- - - २"	मीटर	५९९०२	५९९०२	५९९०२			
- - - २.५"	मीटर	९,०९०२४	९,०९०२४	९,०९०२४			
- - - ३"	मीटर	१,७८९१०	१,७८९१०	१,७८९१०			
- - - ४"	मीटर	२,९९९२७	२,९९९२७	२,९९९२७			
३२३	सीक डावरन पाइप ०.७५" - २" (स्ट्रक्चरल प्रिन्स)	के.जी.	१०८९९	१०८९९	१०८९९		
३२४	डावा ट्रेप (डावा)	गोटा	२८९२२	२८९२२	२८९२२		
३२५	प्लास्टिक डावा	गोटा	४८९७	४८९७	४८९७		
३२६	स्टप बक डावा ०.५"	गोटा	६७९००	६७९००	६७९००		
३२७	- - - ०.७५"	गोटा	९९९९९	९९९९९	९९९९९		
३२८	विड बक/वीनर बक	गोटा	७३०९८	७३०९८	७३०९८		
३२९	केलन ०.५"	गोटा	१७३०९	१७३०९	१७३०९		
३३०	केलन १"	गोटा	२०४४०	२०४४०	२०४४०		
३३१	केलन कन्सीन्ड (डावा) ०.५"	गोटा	७३३८६	७३३८६	७३३८६		
३३२	- - - ०.७५"	गोटा	७८९७९	७८९७९	७८९७९		
३३३	गन सेटल सेक प्रान्त (सेट प्रान्त) ०.५"	गोटा	९०३९४	९०३९४	९०३९४		
३३४	- - - ०.७५"	गोटा	१,४९९२४	१,४९९२४	१,४९९२४		
३३५	- - - १"	गोटा	१,८३८७२	१,८३८७२	१,८३८७२		
३३६	सेक प्रान्त ०.५"	गोटा	३,४९९२८	३,४९९२८	३,४९९२८		
३३७	- - - ०.७५"	गोटा	४८९७९	४८९७९	४८९७९		

Handwritten signatures and stamps at the bottom of the page, including a circular stamp and various scribbles.

क्र.सं.	विवरण	इकाई	म.अ.क. बाहेकको दररेट			कैफियत
			भा.ब. ०७९/८०	भा.ब. ०८०/८१	भा.ब. ०८१/८२ को स्वीकृत दररेट	
10	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	प्रति मोटा	१९८२	१०५८२	१०५८२	
11	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	प्रति मोटा	३५१८	३५२५	३५२५	
12	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	प्रति मोटा	४१२५	४३११	४३११	
13	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	प्रति मोटा	४५१८	४७९४	४७९४	
14	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	प्रति मोटा	४२०८	४४१८	४४१८	
15	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	प्रति मोटा	४७८५	५०२४	५०२४	
16	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	प्रति मोटा	५०३३	५२८४	५२८४	
17	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	प्रति मोटा	५१९८	५४५७	५४५७	
18	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	प्रति मोटा	५६१०	५८९१	५८९१	
19	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	प्रति मोटा	६०२३	६३२४	६३२४	
20	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	प्रति मोटा	६९४०	६२३७	६२३७	
21	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	प्रति मोटा	६५१८	६८४३	६८४३	
22	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	प्रति मोटा	६७६५	७१०३	७१०३	
23	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	प्रति मोटा	३४५५	३५३८	३५३८	
24	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	प्रति मोटा	३९६०	४१५८	४१५८	
25	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	प्रति मोटा	४१२५	४३११	४३११	
26	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	प्रति मोटा	७०९५	७४५०	७४५०	
27	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	प्रति मोटा	७७५५	८१४३	८१४३	
28	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	प्रति मोटा	८००३	८४०३	८४०३	
29	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	प्रति मोटा	३७१३	३८९८	३८९८	
30	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	प्रति मोटा	४२९०	४५०५	४५०५	
31	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	प्रति मोटा	४५३८	४७९४	४७९४	



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	प.म.क. बाणको दररेट			कैफियत
			मा.प. ०७१/८०	मा.प. ०८०/८१	मा.प. ०८१/८२ को स्वीकृत दररेट	
32	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	वर्ग मीटर	१८१६	१११०	१११०	
33	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	वर्ग मीटर	१११६	११११	११११	
34	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	वर्ग मीटर	१७११	७१०१	७१०१	
35	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	वर्ग मीटर	२२२५	२२११	२२११	
36	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	वर्ग मीटर	२१०९	१११४	१११४	
37	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	वर्ग मीटर	१११६	१२१२	१२१२	
38	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	वर्ग मीटर	१७७५	१०१४	१०१४	
39	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	वर्ग मीटर	११११	११००	११००	
40	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	वर्ग मीटर	११००	१११०	१११०	
41	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	वर्ग मीटर	१२१८	१११२	१११२	
42	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	वर्ग मीटर	१०७२५	११२११	११२११	
43	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	वर्ग मीटर	१११२८	११६१४	११६१४	
44	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	वर्ग मीटर	१०७२५	११२११	११२११	
45	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	वर्ग मीटर	११११०	१२१२८	१२१२८	
46	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	वर्ग मीटर	१११६१	१२१११	१२१११	
47	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	वर्ग मीटर	११२८	१८०४	१८०४	
48	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	वर्ग मीटर	११८८	१२१७	१२१७	
49	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	वर्ग मीटर	१२१३	१७१७	१७१७	
50	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	वर्ग मीटर	१२१४	१७१७	१७१७	
51	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	वर्ग मीटर	११८२	७०१७	७०१७	
52	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	वर्ग मीटर	७०१२	७२१०	७२१०	
53	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	वर्ग मीटर	१७११	७१०१	७१०१	

Handwritten signatures and marks at the bottom of the page, including a large signature on the left and several initials and marks on the right.



निर्माण सामग्री तथा इजाजतीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	धनुषा प.अ.क. बाँकेको दररेट			कैफियत
			मा.प. ०७९/८०	मा.प. ०८०/८१	मा.प. ०८१/८२ को स्वीकृत दररेट	
54	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	व्रत गोटा	८००१	८५०१	८५०१	
55	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	व्रत गोटा	८५११	८८११	८८११	
56	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	व्रत गोटा	१११०	११११	११११	
57	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	व्रत गोटा	१८१८	१९१२	१९१२	
58	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	व्रत गोटा	२११०	२५२६	२५२६	
59	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	व्रत गोटा	९७६५	७१०१	७१०१	
60	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	व्रत गोटा	७५१०	७५१०	७५१०	
61	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	व्रत गोटा	८००१	८५०१	८५०१	
62	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	व्रत गोटा	७२१०	७५२३	७५२३	
63	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	व्रत गोटा	८०८५	८५८९	८५८९	
64	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	व्रत गोटा	८९१०	९३५६	९३५६	
65	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व्रत गोटा	२२१००	२५२५५	२५२५५	
66	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व्रत गोटा	२५५५५	२६५५५	२६५५५	
67	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व्रत गोटा	२८०५०	२९५५३	२९५५३	
68	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व्रत गोटा	३३८२५	३५५१९	३५५१९	
69	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व्रत गोटा	३७५५०	३९८५८	३९८५८	
70	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व्रत गोटा	४२०५५	४५१५९	४५१५९	

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several initials on the right.



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	म.अ.क. बाहेकको दररेट			टिप्पणी
			मा.व. ०७९/८०	मा.व. ०८०/८१	मा.व. ०८१/८२ को स्वीकृत दररेट	
71	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व्रत गोटा	१,१९७१०	१,१९३१८	१,१९३१८	
72	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व्रत गोटा	१,७७३७५	१,८६२४४	१,८६२४४	
73	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व्रत गोटा	१,९८०००	२,०७९,१००	२,०७९,१००	
74	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet (NS Standard)	व्रत गोटा	२,४९८७५	२,७२८९९	२,७२८९९	
75	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet (NS Standard)	व्रत गोटा	२,८४९२५	२,९८८५६	२,९८८५६	
76	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet (NS Standard)	व्रत गोटा	२,९७०१००	३,१९८५०	३,१९८५०	
77	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 400x600x80mm (NS Standard)	व्रत गोटा	४००९३	४२०९३	४२०९३	
78	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	व्रत गोटा	३१०९३	३६८९६	३६८९६	
79	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	व्रत गोटा	३७९२५	३८९८९	३८९८९	
80	Half battered Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH) (NS Standard)	व्रत गोटा	२९२८८	३०७३२	३०७३२	
81	Half battered Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension: 300*165*325 (LxBxH) (NS Standard)	व्रत गोटा	३०९६८	३२४६४	३२४६४	
82	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	व्रत गोटा	३४२८८	३३५४९	३३५४९	
83	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	व्रत गोटा	३४८८८	३७५८२	३७५८२	
84	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	व्रत गोटा	३८७७५	४०७९४	४०७९४	
85	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	व्रत गोटा	४०८९८	४२८७५	४२८७५	
86	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	व्रत गोटा	३३९२५	३६३०९	३६३०९	
87	Cobble Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 100*100*80 (NS Standard)	व्रत गोटा			३३५२	
88	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 80mm, Dimension: 100*100*80 (NS Standard)	व्रत गोटा			३४४०	
89	Cobble Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 100*100*80 (NS Standard)	व्रत गोटा			३५९१	
90	Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 200*200*80 (NS Standard)	व्रत गोटा			८३४३	

[Handwritten signatures and marks]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	धनुषा जिल्ला, बाँकेको दररेट			वैकल्पिक
			भा.व. ०७९/८०	भा.व. ०८०/८१	भा.व. ०८१/८२ को स्वीकृत दररेट	
91	Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	प्रति मीटर			९५२४	
92	Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 60mm, Dimension:200*200*80 (NS Standard)	प्रति मीटर			१०६६१	
93	Interlock With Cobble Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	प्रति मीटर			९९९०	
94	Interlock With Cobble Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	प्रति मीटर			१११६६	
95	Interlock With Cobble Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	प्रति मीटर			११९९०	
96	Grass Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:400x600x100mm (NS Standard)	प्रति मीटर			६७६९९	
97	Rectangular Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension:200*100*70 (NS Standard)	प्रति मीटर			४६६४४	
98	Rectangular Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension:200*100*70 (NS Standard)	प्रति मीटर			६२४३३	
99	Rectangular Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension:200*100*70 (NS Standard)	प्रति मीटर			६७३३४	
100	Rectangular Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)	प्रति मीटर			४९७७७	
101	Rectangular Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)	प्रति मीटर			६७६९९	
102	Rectangular Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)	प्रति मीटर			६२६६६	
103	Permeable Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)	प्रति मीटर			७७६९९	
104	Permeable Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)	प्रति मीटर			९०६६६	
105	Permeable Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)	प्रति मीटर			१०९९९६	
106	Permeable Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)	प्रति मीटर			९९६६४	
107	Permeable Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)	प्रति मीटर			१०७६६९	
108	Permeable Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)	प्रति मीटर			१२२७७२	
109	Permeable Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)	प्रति मीटर			१२६६६०	
110	Permeable Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)	प्रति मीटर			१४९६६२	
111	Permeable Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)	प्रति मीटर			१६७६६७	
112	Porus Permeable Matrix Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension 400*400*40	प्रति मीटर			१०९६६६	
113	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension 400*400*40	प्रति मीटर			१३२६६७	



निर्माण सामग्री तथा इजाजतीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	म.म.क. कार्यको दररेट			कैफियत
			मा.म. ०७९/८०	मा.म. ०८०/८१	मा.म. ०८१/८२ को स्वीकृत दररेट	
114	Porus Permeable Interlock Matrix Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 400*400*60	चौत पोटा			१५५५५	
115	Porus Permeable Matrix Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 400*400*60	चौत पोटा			१५५५५	
३६२	Parking tiles(25 mm)	व.मी	१२१००	१२१००	१२१००	
३६३	Pre-cast Structure					
१	2 Inch Pre stress precast concrete toilet wall and ceiling panel		४४८५१	४४८५१	४४८५१	
२	Pre stress precast concrete benches		५९८०१००	५९८०१००	५९८०१००	
३	Pre stress precast concrete compound wall		२९९२४	२९९२४	२९९२४	
४	Pre stress precast concrete fencing pole (4**4")		११९५४	११९५४	११९५४	
५	Pre stress precast concrete fencing pole (5**5")		१४९५०	१४९५०	१४९५०	
३६४	EPS Sandwich panel work(metal sheet based) Including fitting					
	Providing and fitting EPS Sandwich Panel, FR 3 rated , Exterior & Interior Skin of 0.3-0.4mm PPGI with flame retardant EPS core insulation, Base Metal 1105mm and effective width 1,000mm, length 2m-13m with specified color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)					
A	Ivory color/white color Flat partition and exterior wall					
	Thickness					
i	50mm	वर्ग मिटर	३१८०४	३१८०४	३१८०४	
ii	75mm	वर्ग मिटर	३६५४३	३६५४३	३६५४३	
iii	100mm	वर्ग मिटर	४९९५२	४९९५२	४९९५२	
iv	125mm	वर्ग मिटर	५६५०८	५६५०८	५६५०८	
v	150mm	वर्ग मिटर	६१९८७	६१९८७	६१९८७	
B	Gray color RP wall panel					
	Thickness					
i	50mm	वर्ग मिटर	३४९५९	३४९५९	३४९५९	
ii	75mm	वर्ग मिटर	३९९३८	३९९३८	३९९३८	
iii	100mm	वर्ग मिटर	४८९१०	४८९१०	४८९१०	
iv	125mm	वर्ग मिटर	५६५४४	५६५४४	५६५४४	
v	150mm	वर्ग मिटर	६४९५२	६४९५२	६४९५२	
C	wooden color siding wall panel					
	Thickness					
i	75mm	वर्ग मिटर	४४९५९	४४९५९	४४९५९	
ii	100mm	वर्ग मिटर	४९९५६	४९९५६	४९९५६	
iii	125mm	वर्ग मिटर	५४९५७	५४९५७	५४९५७	
iv	150mm	वर्ग मिटर	६१९५२	६१९५२	६१९५२	
D	Blue and Orange Roof panel	वर्ग मिटर				
	Thickness					
i	50mm	वर्ग मिटर	३६८५२	३६८५२	३६८५२	
ii	75mm	वर्ग मिटर	४१५३०	४१५३०	४१५३०	
iii	100mm	वर्ग मिटर	४८९५१	४८९५१	४८९५१	
iv	125mm	वर्ग मिटर	५६५८७	५६५८७	५६५८७	
v	150mm	वर्ग मिटर	६४९५४	६४९५४	६४९५४	
E	Zinc panel(combat and black color)					
	Thickness					
i	50mm	वर्ग मिटर	४४८५३	४४८५३	४४८५३	
ii	75mm	वर्ग मिटर	४९८५८	४९८५८	४९८५८	
iii	100mm	वर्ग मिटर	५८९५७	५८९५७	५८९५७	
iv	125mm	वर्ग मिटर	६८०५९	६८०५९	६८०५९	
v	150mm	वर्ग मिटर	७९९५४	७९९५४	७९९५४	
F	Sandwich PUFF panel work(metal sheet based) including fitting	वर्ग मिटर				
	Providing and Fitting PUF sandwich Ivory/white color Wall Panel, Exterior & Interior Skin of 0.4-0.5mm PPGI with PUF core insulation of density 45-50 kg/m3, Base Metal width 1105mm and effective width 1,000mm, length 2m-13m of approved color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)					
A	Ivory color/white color Flat puff wall					
	Thickness					
i	40mm	वर्ग मिटर	३६२००	३६२००	३६२००	
ii	50mm	वर्ग मिटर	३८६२०	३८६२०	३८६२०	
iii	75mm	वर्ग मिटर	४४६२०	४४६२०	४४६२०	

Handwritten signatures and initials at the bottom of the page, including 'JAF' and 'St'.



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	प्र.म.क. बाहेकको दररेट			टिप्पण			
			मा.स. ०७९/८०	मा.स. ०८०/८१	मा.स. ०८१/८२ को स्वीकृत दररेट				
iv	100mm	मिटर	४१०१०	४१०१०	४१०१०				
B	Puff Panel Roof(orange/blue)								
	Thickness								
i	30mm	मिटर	१४४१०	१४४१०	१४४१०				
ii	40mm	मिटर	१६५२०	१६५२०	१६५२०				
iii	50mm	मिटर	१९६१०	१९६१०	१९६१०				
iv	75mm	मिटर	२६५१०	२६५१०	२६५१०				
v	100mm	मिटर	३३६००	३३६००	३३६००				
C	Steel door								
1	Providing and fitting 30 Minute Fire-Resistance Steel Door with all complete set of frame 1.6mm EGI Steel, leaf 0.8-0.5mm EGI Steel, core insulation Honey comb, 50 mm Thickness of Steel Door	मिटर	९९०१०	९९०१०	९९०१०				
D	Panel door								
1	Providing and fitting Steel Panel Door all complete set of frame 0.4mm Aluminum, leaf Nonburn EPS Panel framed by 0.4mm Aluminum	मिटर	९४८१०	९४८१०	९४८१०				
E	UPVC Window								
1	Providing and fitting 115mm thick multi-chamber frame thick UPVC Window all complete set along with frame having wall thickness of 2.0mm-3.0mm and 1.5(+0.2)mm thick galvanized mild steel section. Fitting materials and accessories for window, sliding windows with stainless insect screen.	मिटर	७९९२०	७९९२०	७९९२०				
३६५	Double Wall Corrugated (SN8) pipes for Sewage and Rain water								
1	100 mm (4 inch)	मिटर	४०३५५	४०३५५	४०३५५				
2	150 mm (6 inch)	मिटर	१,०४९२५	१,०४९२५	१,०४९२५				
3	200 mm (8 inch)	मिटर	१,४४०१०	१,४४०१०	१,४४०१०				
4	250 mm (10 inch)	मिटर	२,०९४१०	२,०९४१०	२,०९४१०				
5	300 mm (12 inch)	मिटर	२,८२८५५	२,८२८५५	२,८२८५५				
6	400 mm (16 inch)	मिटर	३,९४२५०	३,९४२५०	३,९४२५०				
7	500 mm (20 inch)	मिटर	४,९२४१०	४,९२४१०	४,९२४१०				
8	600 mm (24 inch)	मिटर	८,४२४१०	८,४२४१०	८,४२४१०				
9	800 mm (32 inch)	मिटर	१२,४००१०	१२,४००१०	१२,४००१०				
10	1000 mm (40 inch)	मिटर	१८,१३४१०	१८,१३४१०	१८,१३४१०				
३६६	Class 500 PVC-O Pipes for Pressurized water supply								
			PN12.5	PN16	PN25	PN12.5	PN16	PN25	
1	90 mm	मिटर	४४४५५	६६२५५	११५५५	४४४५५	६६२५५	११५५५	
2	110 mm	मिटर	८९१२५	१५४२५	१९३२५	८९१२५	१५४२५	१९३२५	
3	125 mm	मिटर	११२२५	१२०२५	२०९२५	११२२५	१२०२५	२०९२५	
4	140 mm	मिटर	१३४२५	१४१२५	२४०२५	१३४२५	१४१२५	२४०२५	
5	160 mm	मिटर	१५०२५	२०९२५	१९४२५	१५०२५	२०९२५	१९४२५	
6	200 mm	मिटर	२५९२५	३००२५	४२२२५	२५९२५	३००२५	४२२२५	
7	225 mm	मिटर	३१९२५	३८२२५	४९९२५	३१९२५	३८२२५	४९९२५	
8	250 mm	मिटर	३६८२५	४४०२५	५७०२५	३६८२५	४४०२५	५७०२५	
9	315 mm	मिटर	६१०२५	६८२२५	९२०२५	६१०२५	६८२२५	९२०२५	
10	355 mm	मिटर	१०६२५	१२०२५	१६८२५	१०६२५	१२०२५	१६८२५	
11	400 mm	मिटर	१२०२५	१४०२५	२०२५	१२०२५	१४०२५	२०२५	
12	450 mm	मिटर	१५९२५	१८१२५	२६०२५	१५९२५	१८१२५	२६०२५	
13	500 mm	मिटर	२००२५	२३२५	४०५२५	२००२५	२३२५	४०५२५	
14	630 mm	मिटर	४९४२५	६८२५	९९४२५	४९४२५	६८२५	९९४२५	
15	800 mm	मिटर	८६२५	९००२५	१३०२५	८६२५	९००२५	१३०२५	
16	1000 mm	मिटर	११६२५	१३६२५	१९६२५	११६२५	१३६२५	१९६२५	
17	1200 mm	मिटर	१९६२५	२३६२५	३९६२५	१९६२५	२३६२५	३९६२५	
३६७	FITOM PVC -O Fittings-PN16								
1	Elbow 11.25" -size 110	प्रति गोटा	४,५९९			४,५९९			४,५९९
2	Elbow 11.25" -size 160	प्रति गोटा	१२,५९९			१२,५९९			१२,५९९
3	Elbow 11.25" -size 200	प्रति गोटा	२२,८०९			२२,८०९			२२,८०९
4	Elbow 11.25" - size 250	प्रति गोटा	३४,५९९			३४,५९९			३४,५९९
5	Elbow 11.25" - size 315	प्रति गोटा	६६,४९९			६६,४९९			६६,४९९
6	Elbow 11.25" -size 400	प्रति गोटा	१२४,२८९			१२४,२८९			१२४,२८९
7	Elbow 22.5" - Size 110	प्रति गोटा	४,९४९			४,९४९			४,९४९
8	Elbow 22.5" - Size 160	प्रति गोटा	१३,०५९			१३,०५९			१३,०५९
9	Elbow 22.5" - size 200	प्रति गोटा	२३,५९९			२३,५९९			२३,५९९
10	Elbow 22.5" -size 250	प्रति गोटा	३६,९९९			३६,९९९			३६,९९९
11	Elbow 22.5" -size 315	प्रति गोटा	६९,२९९			६९,२९९			६९,२९९
12	Elbow 22.5" -size 400	प्रति गोटा	१२९,२८९			१२९,२८९			१२९,२८९
13	Elbow 45" size 110	प्रति गोटा	६,४९९			६,४९९			६,४९९
14	Elbow 45" - Size 160	प्रति गोटा	१४,९९९			१४,९९९			१४,९९९
15	Elbow 45" - Size 200	प्रति गोटा	२९,०५९			२९,०५९			२९,०५९
16	Elbow 45" -size 250	प्रति गोटा	४२,५९९			४२,५९९			४२,५९९
17	Elbow 45" -size 315	प्रति गोटा	८४,९९९			८४,९९९			८४,९९९
18	Elbow 45" size 400	प्रति गोटा	१४९,०५९			१४९,०५९			१४९,०५९

Handwritten signatures and stamps at the bottom of the page, including a circular official stamp on the right.



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	म.अ.क. बाहेकको दररेट			टिप्पण
			भा.व. ०७९/८०	भा.व. ०८०/८१	भा.व. ०८१/८२ को लीकृत दररेट	
19	Elbow 90° -size 110	प्रति गोटा	९,३३८४४	९,३३८४४	९,३३८४४	
20	Elbow 90° -size 160	प्रति गोटा	१८,७०४४२	१८,७०४४२	१८,७०४४२	
21	Elbow 90° size 200	प्रति गोटा	३३,९४८४९	३३,९४८४९	३३,९४८४९	
22	Elbow 90° size 250	प्रति गोटा	४६,०४९९९	४६,०४९९९	४६,०४९९९	
23	Elbow 90° size 315	प्रति गोटा	८७,२९४९४	८७,२९४९४	८७,२९४९४	
24	Elbow 90° -size 400	प्रति गोटा	१७४,९९३९२	१७४,९९३९२	१७४,९९३९२	
25	Coupler -size 110	प्रति गोटा	४,७०३३८	४,७०३३८	४,७०३३८	
26	Coupler -size 160	प्रति गोटा	१०,१७०२९	१०,१७०२९	१०,१७०२९	
27	Coupler -size 200	प्रति गोटा	१४,७००३२	१४,७००३२	१४,७००३२	
28	Coupler -size 250	प्रति गोटा	२७,४९४३८	२७,४९४३८	२७,४९४३८	
29	Coupler -size 315	प्रति गोटा	४२,९४४७८	४२,९४४७८	४२,९४४७८	
30	Coupler -size 400	प्रति गोटा	९९,४९७४४	९९,४९७४४	९९,४९७४४	
31	Sliding Coupler -size 110	प्रति गोटा	४,७०३३८	४,७०३३८	४,७०३३८	
32	Sliding Coupler -size 160	प्रति गोटा	१०,१७०२९	१०,१७०२९	१०,१७०२९	
33	Sliding Coupler-size 200	प्रति गोटा	१४,७००३२	१४,७००३२	१४,७००३२	
34	Sliding Coupler-size 250	प्रति गोटा	२७,४९४३८	२७,४९४३८	२७,४९४३८	
35	Sliding Coupler size 315	प्रति गोटा	४२,९४४७८	४२,९४४७८	४२,९४४७८	
36	Sliding Coupler-size 400	प्रति गोटा	९९,४९७४४	९९,४९७४४	९९,४९७४४	
37	Reducing Coupler - size 110 to 90	प्रति गोटा	७,९२४४३	७,९२४४३	७,९२४४३	
38	Reducing Coupler - size 160 to 110	प्रति गोटा	१९,९९६३९	१९,९९६३९	१९,९९६३९	
39	Reducing Coupler - size 200 to 160	प्रति गोटा	१९,७२९८९	१९,७२९८९	१९,७२९८९	
40	Reducing Coupler -size 250 to 200	प्रति गोटा	२०,२३३९०	२०,२३३९०	२०,२३३९०	
41	Reducing Coupler - size 315 to 250	प्रति गोटा	४४,९९३६४	४४,९९३६४	४४,९९३६४	
42	Reducing Coupler - size 400 to 315	प्रति गोटा	९३,८०८८९	९३,८०८८९	९३,८०८८९	
३६८	MS pipe & Fittings for deep boring					
43	MS pipe 6mm thick, 200mm dia.	Rm			४,९४०००	
44	MS pipe 7mm thick, 200mm dia.	Rm			७,४००००	
45	MS pipe 6.3mm thick, 200mm dia.	Rm			७,०००००	
46	MS pipe 6mm thick, 250mm dia.	Rm			७,९४०००	
47	MS pipe 6.3mm thick, 250mm dia.	Rm			८,४००००	
48	MS pipe 7mm thick, 250mm dia.	Rm			९,०००००	
49	MS pipe 250mm dia.	Rm			९,४४०००	
50	MS pipe 150mm dia.	Rm			४,७२४००	
51	MS pipe 5mm thick, 150mm dia.	Rm			३,४००००	
52	MS pipe 5.4mm thick, 150mm dia.	Rm			४,०००००	
53	150 mm Stainless Steel Screen	Rm			९,४,२२४००	
54	200 mm Stainless Steel Screen	Rm			९,९,८००००	
55	150 mm LCG	Rm			१०,८९०००	
56	200 mm LCG	Rm			१३,९९०००	
57	MS Flange 10"	No			१२,९००००	
58	MS Flange 8"	No			४,०८४००	
59	MS Flange 6"	No			६,४९३००	
60	MS Flange 4"	No			३,४२०००	
61	MS Flange 3"	No			३,०००००	
62	MS Top Plate (Well Cover) 10"	No			७,९४०००	
63	MS Top Plate (Well Cover) 8"	No			६,०४०००	
64	MS Top Plate (Well Cover) 6"	No			४,४००००	
65	MS Reducer 10"*6"	No			६,३००००	
66	MS Reducer 8"*6"	No			६,४००००	
67	MS Reducer 10"*8"	No			७,४००००	
68	MS Reducer 6"*4"	No			४,९८०००	
69	Alfa Alfa Valve	No			६,०४०००	
70	uPVC pipe 160mm dia., uPVC pipe 4kgf	Rm			१,०९९३७	
71	200mm dia., uPVC pipe 4kgf	Rm			१,२७७९०	
72	uPVC pipe fittings 160mm dia., uPVC Socket	psc			४,७००००	
73	160mm dia., uPVC Elbow 4kgf	psc			९,९००००	
74	160mm dia., uPVC Tee 4kgf	psc			१,०४०००	
75	160mm dia., uPVC End Cap	psc			४,०००००	
76	200mm dia., uPVC Socket	psc			९,३४०००	
77	200mm dia., uPVC Elbow 4kgf	psc			२,९८०००	
78	200mm dia., uPVC Tee 4kgf	psc			४,४००००	
79	200mm dia., uPVC End Cap	psc			८,२००००	
80	Flat Submersible Cable 4mm ²	Rm			४८४००	
81	6mm ²	Rm			९९०००	
82	10mm ²	Rm			१,९४४००	
83	16mm ²	Rm			१,८७४००	
84	25 mm ²	Rm			२,६०९४०	
85	CI Sluice Valve 150mm	No			९,८९३२०	
86	100mm	No			९,२२४६०	
87	80mm	No			९,९४६६०	
88	CI Non Return Valve 150mm	No			९,८९३२०	
89	100mm	No			९,०४०००	
90	80mm	No			९,२४६६०	
91	CI 90 Degree Bend 150mm	No			९,४००००	

Handwritten signatures and notes at the bottom left of the page.

Handwritten signatures and notes at the bottom right of the page.



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	म.अ.क. बाहेकको दररेट			कैफियत
			मा.व. ०७१/८० धनुषा	मा.व. ०८०/८१	मा.व. ०८१/८२ को स्वीकृत दररेट	
२६८	Readymade Teak wood door (Seasoned and poisoned treated) (excluding cost of fitting, transporting, painting)					
A	Readymade door shutter Recon, ordinary (1 side teak)	Sq.ft			१८५००	
B	Readymade door shutter Recon, special (1 side teak)	Sq.ft			२१५१००	
	one side water proof ply fitting					
C	Readymade door shutter Recon, ordinary (1 side teak)	Sq.ft			२१५१००	
D	Readymade door shutter Recon, special (1 side teak)	Sq.ft			२८८१००	
२६९	Tongue and groove (T.G.) Flooring					
A	Sisam/sal/Teak wood parquet of 18mm thickness: Colour: Natural	Sq.ft			७५५१००	
B	Sisam/sal/Teak wood parquet of 18mm thickness: Colour: Stain/Mix	Sq.ft			११५१००	
२७०	UPVC Roofing Sheet (3mm thick)					
A	Fiber Mesh UPVC Roofing having 3mm thick ASA coating (in tile and regular shape)	Sq.M.			१,५७०१००	
B	Non Fiber Mesh UPVC Roofing having 3mm thick ASA coating (in tile and regular shape)	Sq.M.			१,३६५१००	
C	Ridge cover Regular profile 1.10 Rm	R.M.			२,०२११००	
D	Ridge cover Regular profile 1.05 Rm	R.M.			२,०२११००	
E	UPVC Clip	पोटा			२५००	
F	Self tapping screw 3"	पोटा			२११००	
G	Self tapping screw 2.2"	पोटा			२११००	
H	Self tapping screw 2"	पोटा			१११००	
I	Self tapping screw 1.5"	पोटा			११००	
२७१	Fiber Plain Sheet					
A	(Thickness: 1.2mm)-Red, Blue, Green, and clear	ब. फि.			१०६१००	
B	(Thickness: 1.5mm)-Red, Blue, Green, and clear	ब. फि.			१२५००	
C	(Thickness: 1.8mm)-Red, Blue, Green, and clear	ब. फि.			१५५००	
D	(Thickness: 2mm)-Red, Blue, Green, and clear	ब. फि.			१६५००	
E	(Thickness: 2.5mm)-Red, Blue, Green, and clear	ब. फि.			२०५००	
F	(Thickness: 3mm)-Red, Blue, Green, and clear	ब. फि.			२४५००	
२७२	Fiber Corrugated Sheet					
A	Fiber S Span Thickness 2mm, width 42"	र. फि.			६८२१००	
B	Normal Corrugated (Thickness: 0.6mm)-Clear	र. फि.			१३३१००	
C	Normal Corrugated (Thickness: 0.8mm)-Clear	र. फि.			१८११००	
D	Fiber heritage sheet width 34" Thickness: 2mm	र. फि.			४१५००	
२७३	Fiber Cement Board (Wall)					
A	3.2mm (2'X2')	ब. फि.			२५००	
B	3.2mm (4'X8')	ब. फि.			२५१००	
C	3.5mm (4'X8')	ब. फि.			३५००	
D	4mm (4'X8')	ब. फि.			३५१००	
E	6mm (4'X8')	ब. फि.			४०१००	
F	8mm (4'X8')	ब. फि.			४५००	
G	9mm (4'X8')	ब. फि.			५५००	
H	10mm (4'X8')	ब. फि.			६५००	
I	12mm (4'X8')	ब. फि.			९५००	
२७४	Fiber Cement Board (Floor)					
A	15mm (4'X8')	ब. फि.			१५३००	
B	18mm (4'X8')	ब. फि.			१५१००	
C	20mm (4'X8')	ब. फि.			१९२००	
	Sanitation works :					
२७५	ढाँचा, सी.पैन (कुट रेट, साइडरन ब्रिड)					
	क) १८"	सेट	१,५०६१०८	१,५०६१०८	१,५०६१०८	
	ख) २०"	सेट	१,६२२१५०	१,६२२१५०	१,६२२१५०	
	ग) २२"	सेट	१,९५५१५५	१,९५५१५५	१,९५५१५५	
२७६	उडिया पैन सेट-२१"	संख्या	२,०००१९६	२,०००१९६	२,०००१९६	
२७७	स्थानीय पैन (साइडरन ब्रिड)	संख्या	८६५१२८	८६५१२८	८६५१२८	
२७८	कमोड (कभर ब्रिड) पैन	सेट	२,७९११०५	२,७९११०५	२,७९११०५	
२७९	(कभर ब्रिड) रीजिन	सेट	३,३६३१७८	३,३६३१७८	३,३६३१७८	
२८०	कमोड कभर	संख्या	८२२१०२	८२२१०२	८२२१०२	
२८१	बन पैन कमोड	संख्या	१९,५६८१८०	१९,५६८१८०	१९,५६८१८०	
२८२	supplying of White Viterous Flexo Washdown one piece commode with soft closing seat cover size(715*360*710 mm) made of sanitary ceramics with connection pipe and angle valve	सेट			२५,८००१००	
२८३	white glazed porcelian clay Ewc wall mounted commode without cistern all complete	सेट			४,२५२१००	
२८४	white glazed porcelian clay Ewc floor mounted commode without cistern all complete	सेट			८,६६६१००	
२८५	EWC regular constellation commode with s and P trap all complete	सेट			१८,९९०००	
२८६	600 to 900 mm grab bar	सेट			१,०६२१००	
२८७	Procelain Clay white glaze large flat back urinal 61*41*37 cm	सेट			५,९५३१००	
२८८	Urinal Partition white glazed porcelain Clay (68*30) cm diversion plate	सेट			१,६९०००	
२८९	सेरोसिडिन प्लेज्ड ग्राब रीजिन					
	क) १८" X ११"	सेट	२२५१५५	२२५१५५	२२५१५५	
	ख) २०" X ११"	सेट	३,२५५१८०	३,२५५१८०	३,२५५१८०	

Handwritten signatures and stamps at the bottom of the page, including a circular stamp with 'page 8 of 20'.



निर्माण सामग्री तथा बुनानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	म.अ.क. बाहेकको दररेट			टिप्पणी
			मा.व. ०७१/८०	मा.व. ०८०/८१	मा.व. ०८१/८२ को स्वीकृत दररेट	
	सोलाार सम्बन्धी					
३८५	Supply and fixing of 600 watt PV (Solar Panel) as per specification & direction/instruction of site engineer	set	११३५७	११३५७	११३५७	
३८६	Supply of Solar Panel stand as per specification & direction/instruction of site engineer	set	१९१७७	१९१७७	१९१७७	
३८७	Supply of D.C wire 6mm	Rm	१८९२८	१८९२८	१८९२८	
३८८	Supply of 150 watt PV (Solar Panel)	set	१७,११३.७५	१७,११३.७५	१७,११३.७५	
३८९	Supply of 100 watt PV (Solar Panel)	set	१४,१४३.७५	१४,१४३.७५	१४,१४३.७५	
३९०	Supply of 100 Ah 12 Volt Solar GEL Battery	set	४९,१४१.८०	४९,१४१.८०	४९,१४१.८०	
३९१	Supply of 75 Ah 12 Volt Solar GEL Battery	set	३७,१४१.८०	३७,१४१.८०	३७,१४१.८०	
३९२	Supply of Charge Controller 20 Amp	set	४,९७४.१९	४,९७४.१९	४,९७४.१९	
३९३	40 W LED Light	set	१९,१०१.४४	१९,१०१.४४	१९,१०१.४४	
	विद्युत सम्बन्धी					
३९४	काइबर प्लेट १२" X ८"	गोटा	४९१४९	४९१४९	४९१४९	
३९५	- - १०" X ८"	गोटा	४४१०८	४४१०८	४४१०८	
३९६	- - ८" X ९"	गोटा	४९१४२	४९१४२	४९१४२	
३९७	- - ९" X ४"	गोटा	४९१००	४९१००	४९१००	
३९८	- - ४" X ४"	गोटा	२९१२०	२९१२०	२९१२०	
३९९	- - ३" X ३"	गोटा	२८१२२	२८१२२	२८१२२	
४००	- - २" X २"	गोटा	२३१८०	२३१८०	२३१८०	
४०१	प्लास्टिक बोर्ड १०" X ८"	गोटा	९७३४४	९७३४४	९७३४४	
४०२	- - ९" X ८"	गोटा	४७३४९	४७३४९	४७३४९	
४०३	- - ७" X ४"	गोटा	४४१०८	४४१०८	४४१०८	
४०४	- - ९" X ४"	गोटा	४४११९	४४११९	४४११९	
४०५	- - ९" X ४"	गोटा	४७३४९	४७३४९	४७३४९	
४०६	- - ३" X ३"	गोटा	२९१२०	२९१२०	२९१२०	
४०७	सीप नं. - १२०	बहा	१११९०	१११९०	१११९०	
४०८	- - २००	बहा	१७३११	१७३११	१७३११	
४०९	- - २२०	बहा	१८३१९	१८३१९	१८३१९	
४१०	सीप नं. ०.७५"	संख्या	०४४२	०४४२	०४४२	
४११	प्लास्टिक ड्रिप ०.७५"	संख्या	११३४	११३४	११३४	
४१२	मन-मेन स्वीच ३२ एम्पीयर	संख्या	२९६३२	२९६३२	२९६३२	
४१३	मन स्वीच ३२ एम्पीयर इवान फेज	संख्या	१,०७०७८	१,०७०७८	१,०७०७८	
४१४	स्वीच फुलन टाइपर १ एम्पीयर	संख्या	२९१२०	२९१२०	२९१२०	
४१५	पावर प्लग १२ एम्पीयर	संख्या	१८३१८७	१८३१८७	१८३१८७	
४१६	टु पिन प्लग	संख्या	४९१००	४९१००	४९१००	
४१७	फिट क्रेट १२ एम्पीयर	संख्या	४२१८८	४२१८८	४२१८८	
४१८	- - २२	संख्या	७४१७१	७४१७१	७४१७१	
४१९	- - ६३	संख्या	२१०९१	२१०९१	२१०९१	
४२०	मन स्वीच ६३ एम्पीयर	संख्या	२,९२०३२	२,९२०३२	२,९२०३२	
४२१	मन स्वीच फिट क्रेट कनेक्शन ६३ एम्पी.	संख्या	३७८४९	३७८४९	३७८४९	
४२२	बन्ध होल्डर पोल	संख्या	३१३७	३१३७	३१३७	
४२३	मिलिंग मेज	संख्या	६२७४२	६२७४२	६२७४२	
४२४	पी.पी.सी. कवर बावर (११.४४मी) - १/१८	स्वायत	१,०७०७८	१,०७०७८	१,०७०७८	
४२५	- - - - १/२२	स्वायत	१,१२३४७	१,१२३४७	१,१२३४७	
४२६	- - - - १/२०	स्वायत	२,२७१३९	२,२७१३९	२,२७१३९	
४२७	- - - - ७/२२	स्वायत	३,४९१२८	३,४९१२८	३,४९१२८	
४२८	- - - - ७/२०	स्वायत	४,१९१६८	४,१९१६८	४,१९१६८	
४२९	- - - - ७/१८	स्वायत	११,१०४४८	११,१०४४८	११,१०४४८	
४३०	- - - - ७/१९	मीटर	४९१००	४९१००	४९१००	
४३१	मन साइजको तार (सर्विस बावर)	संख्या	९४१८१	९४१८१	९४१८१	
४३२	कवर प्लेट (१' X १')	संख्या	३४१९९	३४१९९	३४१९९	
४३३	बन्ध (४० बाट रोक १०० बाट सम्म)	संख्या	४९१६८	४९१६८	४९१६८	
४३४	संकेती फिटिंग्स समेत (४०बाट)	संख्या	३,२४४६०	३,२४४६०	३,२४४६०	
४३५	मिलिंग पञ्चा स्टेण्डर्ड कम्पनी ३९"	संख्या	२,९२०३२	२,९२०३२	२,९२०३२	
४३६	- - - - ४२"	संख्या	३,२४४६०	३,२४४६०	३,२४४६०	
४३७	- - - - ४८"	संख्या	१,७३०४९	१,७३०४९	१,७३०४९	
४३८	मिलिंग पञ्चा साधारण ३९"	संख्या	१,४४१२८	१,४४१२८	१,४४१२८	
४३९	- - - - ४२"	संख्या	१,३४२००	१,३४२००	१,३४२००	
४४०	- - - - ४८"	संख्या	३,४९१२८	३,४९१२८	३,४९१२८	
४४१	टेबुल पञ्चा स्टेण्डर्ड कम्पनी	संख्या	४,७३०४९	४,७३०४९	४,७३०४९	
४४२	स्टेण्ड पञ्चा	संख्या	२,३७५४२	२,३७५४२	२,३७५४२	
४४३	एक्झास्ट पञ्चा १'-०"	संख्या	२,२७१३९	२,२७१३९	२,२७१३९	
४४४	- - - - ०'-९"	संख्या	९,७३४४०	९,७३४४०	९,७३४४०	
४४५	कूलर स्टेण्डर्ड कम्पनी	संख्या	४,००१९२	४,००१९२	४,००१९२	
४४६	- लोक साधारण	संख्या	४,००१९२	४,००१९२	४,००१९२	
४४७	इलेक्ट्रिक सर्जिन बहाण गर्ने	प्याइन्ट	४२ ४८ ३२ ४३	४२ ४८ ३२ ४३	४२ ४८ ३२ ४३	
४४८	मन स्वीच फिटिंग	संख्या	२१०९१	२१०९१	२१०९१	
४४९	कवर बावर सर्जिन	मीटर	१६३२२	१६३२२	१६३२२	
४५०	डोम साइड काइन्ड्रेट सर्जिन ८"	संख्या	३६७७४	३६७७४	३६७७४	
४५१	१ चीप सर्जिट १ एम्पीयर	संख्या	४७३४९	४७३४९	४७३४९	
४५२	२ चीप सर्जिट	संख्या	३२४४४	३२४४४	३२४४४	
४५३	३ चीप सर्जिट	संख्या	४३२९९	४३२९९	४३२९९	
४५४	४ चीप टप	संख्या	४९१००	४९१००	४९१००	
४५५	सीप नं. टप टर्निंगवाला	संख्या	४०४६०	४०४६०	४०४६०	
४५६	सीप नं. साधारण	संख्या	२१०९१	२१०९१	२१०९१	
४५७	कृत्रिम	संख्या	४९१००	४९१००	४९१००	

Handwritten signatures and notes at the bottom of the page.



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	धनुषा			म.म.का. बाहेकको दररेट			कैफियत		
			मा.स. ०७९/८०	१२७१८	१२७१८	मा.स. ०८०/८१	१२७१८	१२७१८		मा.स. ०८१/८२ को स्वीकृत दररेट	१२७१८
४५८	वाटर टाइट काइकेट	संख्या									
४५९	भेजर माइट (स्वालिटी बन्दुवा)	संख्या	१३५४ १३५४ १३५४			१३५४ १३५४ १३५४					
४६०	इन्जुलेसन टेप	संख्या		२३८०		२३८०			२३८०		
४६१	कनेक्टर ११ एमपीए	संख्या		४१५९		४१५९			४१५९		
४६२	पी.सी.सी. पाइप ०.७५" (विद्युत)	मीटर		४११०		४११०			४११०		
४६३	" " " १" " "	मीटर		४११०		४११०			४११०		
४६४	" " " ०.७५" " "	संख्या		७०१		७०१			७०१		
४६५	" " " १" " "	संख्या		८११		८११			८११		
४६६	पी.सी.सी. ब्रकन बाइकन ०.७५" "	संख्या		१७११		१७११			१७११		
४६७	" " " १" " "	संख्या		१८१९		१८१९			१८१९		
४६८	" " " ०.७५" " "	संख्या		७०१		७०१			७०१		
४६९	" " " १" " "	संख्या		१११०		१११०			१११०		
४७०	" " " ०.७५" " "	संख्या		८४५		८४५			८४५		
४७१	" " " १" " "	संख्या		८११		८११			८११		
४७२	" " " ०.७५" " "	संख्या		१११०		१११०			१११०		
४७३	" " " १" " "	संख्या		१७११		१७११			१७११		
४७४	रेन्डो होन्डर	संख्या		३४६९		३४६९			३४६९		
४७५	मर्की पौड	संख्या		१८३८७		१८३८७			१८३८७		
४७६	" " इलेक्ट्रोनिक्स	संख्या		३०२८५		३०२८५			३०२८५		
४७७	इकेट माइट	संख्या		२४५१८		२४५१८			२४५१८		
४७८	मर्की ट्युब	संख्या		१०८१९		१०८१९			१०८१९		
४७९	स्टार्टर	संख्या		२३८०		२३८०			२३८०		
४८०	डि.सी. स्वीच विगत	संख्या		१८३८७		१८३८७			१८३८७		
४८१	पी.सी.सी. लिट्टी ०.५" (विद्युत)	मीटर		२१२०		२१२०			२१२०		
४८२	" " " ०.७५" " "	मीटर		३२५५		३२५५			३२५५		
४८३	" " " १" " "	मीटर		३४६९		३४६९			३४६९		
४८४	" " " १.२५" " "	मीटर		७०३०		७०३०			७०३०		
४८५	" " " २" " "	मीटर									
४८६	पी.सी.सी. फिटिंग्स (विद्युत)		डिग्रेड	टी ग्रेड	सीकिड	डिग्रेड	टी ग्रेड	सीकिड	डिग्रेड	टी ग्रेड	सीकिड
	पी.सी.सी. फिटिंग्स ०.५" (विद्युत)	संख्या	५	५	८	५	५	८	५	५	८
	" " " ०.७५" " "	संख्या	८	७	१०	८	७	१०	८	७	१०
	" " " १" " "	संख्या	११	१०	१२	११	१०	१२	११	१०	१२
	" " " १.२५" " "	संख्या	१३	१२	१५	१३	१२	१५	१३	१२	१५
	" " " २" " "	संख्या	१६	१५	१९	१६	१५	१९	१६	१५	१९
४८७	मेटल बाइकन १" X १"	संख्या		३४६९		३४६९			३४६९		
४८८	" " " २" X २"	संख्या		४७४९		४७४९			४७४९		
४८९	Power Socket Modular	सेट		१,१९५९६		१,१९५९६			१,१९५९६		
४९०	6 gang Modular Switch	सेट		१,२९१९८		१,२९१९८			१,२९१९८		
४९१	12 gang Modular Switch	सेट		४,४८०९६		४,४८०९६			४,४८०९६		
४९२	डि.सी. बाइकन टु-ने	संख्या		७५/७५		७५/७५			७५/७५		
४९३	" " फोर-ने	संख्या		३०२८५		३०२८५			३०२८५		
४९४	" " सिक्स-ने	संख्या		४११०१		४११०१			४११०१		
४९५	" " एट-ने	संख्या		४७३२५		४७३२५			४७३२५		
४९६	" " टेन-ने	संख्या		४७८६६		४७८६६			४७८६६		
४९७	" " टवेन्त्य-ने	संख्या		८११२०		८११२०			८११२०		
४९८	" " फोरटिन-ने	संख्या		१५६/१०		१५६/१०			१५६/१०		
४९९	एम.सी.सी. स्वीच बाइकन	संख्या		३२५१८		३२५१८			३२५१८		
५००	सब मीटर	संख्या		७०३०५		७०३०५			७०३०५		
५०१	एच.डि.पी. पाइप ०.५" (विद्युत)	मीटर		१७११		१७११			१७११		
५०२	" " " ०.७५" " "	मीटर		२३८०		२३८०			२३८०		
५०३	" " " १" " "	मीटर		३४६९		३४६९			३४६९		
५०४	पी.एस.सी. कंक्टि पोल - ८ मीटर	मीटर		६,५८९६०		६,५८९६०			६,५८९६०		
५०५	पी.एस.सी. कंक्टि पोल - ९ मीटर	मीटर		७,०३०१०		७,०३०१०			७,०३०१०		
५०६	पी.एस.सी. कंक्टि पोल - १० मीटर	मीटर		९,७५१५०		९,७५१५०			९,७५१५०		
५०७	पी.एस.सी. कंक्टि पोल - ११ मीटर	मीटर		१४,०६०८०		१४,०६०८०			१४,०६०८०		
	विद्युत इन्भन्विच बाब										
५०८	१२ के.पी.ए. ट्यान्सफार्मर	प्रति बाब		१३७,३६३२०		१३७,३६३२०			१३७,३६३२०		
५०९	२५ के.पी.ए. ट्यान्सफार्मर	प्रति बाब		२८२,७७०२५		२८२,७७०२५			२८२,७७०२५		
५१०	५० के.पी.ए. ट्यान्सफार्मर	प्रति बाब		५०३,५३६८०		५०३,५३६८०			५०३,५३६८०		
५११	१०० के.पी.ए. ट्यान्सफार्मर	प्रति बाब		९३८,१५५००		९३८,१५५००			९३८,१५५००		
५१२	१२० ए.एम.वि.वि.वि.	प्रति बाब		८,५३६५८		८,५३६५८			८,५३६५८		
५१३	२२० ए.एम.वि.वि.वि.	प्रति बाब		१,४५१२८		१,४५१२८			१,४५१२८		
५१४	११ के.वि.डि.ब. कनेक्टिंग स्वीच	सेट		१९,१५५३२		१९,१५५३२			१९,१५५३२		
५१५	११ के.वि.डि.ब. इन्जुलेटर	सेट		३७८६९		३७८६९			३७८६९		
५१६	११ के.वि.डि.ब. इन्जुलेटर	सेट		१,७३०६९		१,७३०६९			१,७३०६९		
५१७	स्टे सेट	सेट		१,३४२००		१,३४२००			१,३४२००		
५१८	स्टे बाबर	के.जी.		२१६३२		२१६३२			२१६३२		
५१९	पोल क्रोम प्रो मीटर	मीटर		२७०१०		२७०१०			२७०१०		
५२०	प्यानल प्रो मीटर c फिट	मीटर		४,५०८१०		४,५०८१०			४,५०८१०		
५२१	प्यानल टाइप प्यानल प्रो मीटर	मीटर		४,५०८१०		४,५०८१०			४,५०८१०		
५२२	प्यानल २ फिट प्रो मीटर	मीटर		१,६२२५०		१,६२२५०			१,६२२५०		
५२३	०.०५ कन्डक्टर	कि.मि.		४५,०८०००		४५,०८०००			४५,०८०००		
५२४	०.०१ कन्डक्टर	कि.मि.		१५,१११२०		१५,१११२०			१५,१११२०		
५२५	१० कन्डाक्टर एम.एम.ए.पी.सी. केबुल	कि.मि.		३७८६९		३७८६९			३७८६९		
५२६	१२ कन्डाक्टर एम.एम.ए.पी.सी. केबुल	कि.मि.		६५८९९		६५८९९			६५८९९		
५२७	२५ कन्डाक्टर एम.एम.ए.पी.सी. केबुल	कि.मि.		११७६५		११७६५			११७६५		
५२८	१२ कन्डाक्टर ४ कोर एम.टी.केबुल	कि.मि.		६०४३०		६०४३०			६०४३०		
५२९	विभिन्न माइक्रो केबुल कनेट	मीटर		१६६८३		१६६८३			१६६८३		

Handwritten signatures and notes at the bottom of the page, including a signature on the left and a large signature on the right.



निर्माण सामग्री तथा बुनानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	रु.म.क. बाइको दररेट		
			मा.व. ०७५/८०	मा.व. ०८०/८१	मा.व. ०८१/८२ को स्वीकृत दररेट
५३०	टि टाइप च्यामन	पीटा	२,५०१.५	२,५०१.५	२,५०१.५
५३१	पि जो. क्ल्याम	सेट	१८५.१८	१८५.१८	१८५.१८
५३२	अभिन सेट				
१	अभिन चाकु, १० मासो	सेट	२,११५.२८	२,११५.२८	२,११५.२८
२	कपर रडा, २० स. १ फिट मासो	सेट	७,१२५.२८	७,१२५.२८	७,१२५.२८
३	कपर चाकर	के.जी.	८८१.५०	८८१.५०	८८१.५०
५३३	पि. माइलर इन्डकन इन्भुलेटर	सेट	२००१.०	२००१.०	२००१.०
५३४	११ के.पि.पि.सो. सेट	सेट	११,२२५.१००	११,२२५.१००	११,२२५.१००
५३५	११ के.पि. माइलर ट्रेक्टर	सेट	१,११५.१०	१,११५.१०	१,११५.१०
५३६	Electric Plate & Switch				
	1 Gange 1/2 way	सेट	७०१.०	७०१.०	७०१.०
	2 Gange 1/2 way	सेट	११८१.८	११८१.८	११८१.८
	3 Gange 1/2 way	सेट	१५१५.२	१५१५.२	१५१५.२
	4 Gange 1/2 way	सेट	२००१.०	२००१.०	२००१.०
	6 Gange 1/2 way	सेट	२५८५.७	२५८५.७	२५८५.७
	6 pin socket 15 Amp.	सेट	२५८५.७	२५८५.७	२५८५.७
५३७	Telephone socket	सेट	८५५.१	८५५.१	८५५.१
५३८	Deemer	सेट	३८५.१८	३८५.१८	३८५.१८
५३९	MCB- 6,10,15,20,25,32 Amp.	सेट	१८५.१८	१८५.१८	१८५.१८
५४०	MCCB- 10,16,20,25,32,45 Amp.	सेट	५,१२५.२८	५,१२५.२८	५,१२५.२८
५४१	CFL 5 watte	सेट	२०५.५०	२०५.५०	२०५.५०
५४२	CFL 11 watte	सेट	२५३.१५	२५३.१५	२५३.१५
५४३	CFL 14 watte	सेट	२५८.७७	२५८.७७	२५८.७७
५४४	CFL 18 watte	सेट	३२५.५८	३२५.५८	३२५.५८
५४५	CFL 25 watte	सेट	४२५.८२	४२५.८२	४२५.८२
५४६	CFL 35 watte	सेट	६०५.७०	६०५.७०	६०५.७०
५४७	CFL 45 watte	सेट	१,२७०.८८	१,२७०.८८	१,२७०.८८
५४८	CFL 65 watte	सेट	१,५८५.२०	१,५८५.२०	१,५८५.२०
५४९	CFL 85 watte	सेट	१,६७५.५८	१,६७५.५८	१,६७५.५८
५५०	CFL set with box 35 watte	सेट	२,७५८.१०८	२,७५८.१०८	२,७५८.१०८
५५१	CFL set with box 85 watte	सेट	३,८६६.७२	३,८६६.७२	३,८६६.७२
५५२	Providing & fixing Concealed or Bit wiring point for light, fan, Plug, Fuse, Indicator, Callbel etowith 5 Amr. one way switch pipe 5 pins socket boardfuse, Indicator, Angle or start holder ceiling rose PVC switch board using 7x20 single core main wire, 3x20 single core distribution wire with 1/8 earthing wire continuous including all necessary material & labour as per direction	point	७३०.०८	७३०.०८	७३०.०८
५५३	LED Bulb (Wh, R, Bl, Or, g, y) 0.5 W B22	unit	७३०.७	७३०.७	७३०.७
५५४	LED Bulb 3 W B22/E27 2700K/6500K	unit	१५१.८६	१५१.८६	१५१.८६
५५५	LED Bulb 5 W B22/E27 2700K/6500K	unit	१५५.०२	१५५.०२	१५५.०२
५५६	LED Bulb 8.3 W B22/E27 2700K/6500K	unit	१९०.२२	१९०.२२	१९०.२२
५५७	LED Bulb 9 W B22/E27 2700K/6500K	unit	२०५.३५	२०५.३५	२०५.३५
५५८	LED Bulb 12 W B22/E27 2700K/6500K	unit	३६६.०८	३६६.०८	३६६.०८
५५९	LED Bulb 14 W B22/E27 2700K/6500K	unit	३४५.६८	३४५.६८	३४५.६८
५६०	High Power LED 20 W E27 2700K/6500K	unit	५९७.७७	५९७.७७	५९७.७७
५६१	LED Panel Light 6 W	Nos.	१,०५०.००	१,०५०.००	१,०५०.००
५६२	LED Panel Light 10 W	Nos.	१,२५८.००	१,२५८.००	१,२५८.००
५६३	LED AC Street Light 24w with auto on/off switch and auto dimming option including all accessories and excluding installation	unit	८,००८.००	८,००८.००	८,००८.००
५६४	LED AC Street Light 50w with auto on/off switch and auto dimming option including all accessories and excluding installation	unit	१०,२९६.००	१०,२९६.००	१०,२९६.००
५६५	LED AC Street Light 100w with auto on/off switch and auto dimming option including all accessories and excluding installation	unit	१८,३०५.००	१८,३०५.००	१८,३०५.००
५६६	36W (2*2) Panel Light	Nos.			५,२४५.००
५६७	Online ups 4 Kva/240 V 1 in 1 out (Phase) for Emergency Backup with inbuilt charge controller having technical specification of : Input Voltage : 220V, Frequency: 50/60Hz Input Connection : Single Phase Power Factor : >0.99 Output Voltage THD (Total Harmonic Distortion): THD<1.5%(Linear Load), THD<5%(Non linear Load) Output Power Factor: 0.9 Battery Voltage +/- 48VDC Hitachi or equivalent, etc all complete.	Nos.			४१,७००.००
५६८	12v, 240AH C20 Inverter Tubular battery, Exide, Luminous, or equivalent, etc all complete.	Nos.			६०,०००.००
५६९	Glass Fibre reinforcement (GRP) Pole				
	a. 7m GRP normal Pole	nos	७५,१००.००	७५,१००.००	७५,१००.००
	b. 8m GRP normal Pole	nos	८०,०८०.००	८०,०८०.००	८०,०८०.००
	c. 9m GRP normal Pole	nos	९१,४२०.००	९१,४२०.००	९१,४२०.००

Handwritten signatures and marks at the bottom of the page, including a large 'St' mark on the right.



निर्माण सामग्री तथा इजानाको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	पु.म.क. बाईकोटो दररेट			वैधिम्यता
			मा.प. ०५१/८०	मा.प. ०५०/८१	मा.प. ०५१/८१ को लीकृत दररेट	
५७०	Glass Fibre (GRP) for handrail basic					
	a. Post, section 51*51 mm	kg	१०,१०२०	१०,१०२०	१०,१०२०	
	b. Top rail, section 51*51 mm	kg	४,४४५१२	४,४४५१२	४,४४५१२	
	c. Middle rail, section 51*51 mm	kg	४,४४५१२	४,४४५१२	४,४४५१२	
	d. Joining kit, Od 42	kg	५,११९९१	५,११९९१	५,११९९१	
	e. Toe guard, ht. 100 mm	kg	१,११०८२	१,११०८२	१,११०८२	
	f. Base Plate	kg	१,१११००	१,१११००	१,१११००	
	g. SS hardware for toe guard	kg	१,११०८०	१,११०८०	१,११०८०	
	h. SS hardware for base plate	kg	२,०२२४९	२,०२२४९	२,०२२४९	
	i. SS anchor bolt	kg	२८१००	२८१००	२८१००	
	j. Aluminium revel, 1 lot	kg	२,५०२५०	२,५०२५०	२,५०२५०	
५७१	Bottom Holder	unit	४१५८	४१५८	४१५८	
५७२	Bed Switch	unit	५००५	५००५	५००५	
५७३	Air Conditioning System					
	Single Split (1:1) Wall mounted/ Ceiling Cassette/ Floor standing type Air Conditioner (Heat Pump) with Complete Silence, Powerful operation, Intelligent Control, Filter cleaning indicator, PMV Control and power saving features included wireless remote controller, installation between indoor to outdoor unit with all required materials like copper tube, outdoor stand, insulation tube, electrical wiring should also be included with in the cost.(Brand:L.G, Daikin, Panasonic or equivalent.)					
A	Wall mounted Inverter type Split Units with Wireless remote Controller					
1	0.75 Ton	set			८१,०००००	
2	1.0 Ton	set			७९,४८९७	
3	1.5 Ton	set			१२०,१४४९२	
4	2.0 Ton	set			१४३,४४२४७	
B	Ceiling Cassette Inverter type Split Units with Wireless remote Controller					
1	1.0 Ton	set			११८,८००००	
2	1.5 Ton	set			१४४,८००००	
3	2.0 Ton	set			१९२,०००००	
4	3.0 Ton	set			२९१,४४०००	
5	4.0 Ton (3ph)	set			२४४,४००००	
C	Wall mounted Non-Inverter type Split Type AC with Wireless display remote Controller					
1	0.75 Ton	set			४२,२००००	
2	1.0 Ton	set			४१,४४०४४	
3	1.5 Ton	set			६८,०४०४४	
4	2.0 Ton	set			८५,२४०४४	
D	Ceiling Cassette Non-inverter type Split Type AC with Wireless display remote Controller					
1	1.0 Ton	set			८१,१००००	
2	1.5 Ton	set			९९,३००००	
3	2.0 Ton	set			१२८,१००००	
4	3.0 Ton	set			१७६,०००००	
E	Floor Standing Inverter type Split Type Air Conditioner with Wireless remote Controller					
1	2.0 Ton	set			१४३,०००००	
2	4.0 Ton	set			२०७,०००००	
575	Furniture item:					
१	Revolving computer chair: Hydraulic pneumatic, 3" super foam seat with height adjustable, Medium back MS body, Moulded pvc 5 base legs with heavy duty caster wheel .All completes including delivery and installation as per design and instructions.	Nos.			१,४००००	
२	Hydraulic pneumatic chair, 3" super foam seat with height adjustable, Medium back MS body, Moulded pvc 5 base legs with heavy duty caster wheel .All completes including delivery and installation as per design and instructions.	Nos.			१०,०००००	
३	Made with 1.5"x1.5" of 16 G MS pipe frame. Back side shall be covered 9 mm prelaminate particle board and both side shall be 8 mm thick clear glass .Shutter shall be with 6 mm thick clear glass shutter .Metal frame shall be finished with approved color epoxy powder coating .All completes including delivery and installation as per design and instructions	Nos.			४२,४००००	
४	4 - Way display rack (Low ht.) : 1.6m X 0.8m X 1 m 18 mm thick ply with deco paint finish .Skirting shall be finished with golden color laminate .Top shall have 18 mm thick board with 10 mm thick foam with silk fabric upholstery. The display box shall be covered with 8 mm thick, 300 mm height glass with edge polished . PVC buffer shall be fixed in leg. All completes including delivery and installation as per design and instructions.	Nos.			१०,०००००	

Handwritten signatures and initials at the bottom of the page, including a large signature that appears to be 'Kumar' and other initials like 'ST'.



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	द.अ.क. माइक्रोको दररेट			कैफियत
			मा.व. ०७१/८० धनुषा	मा.व. ०८०/८१	मा.व. ०८१/८२ को स्वीकृत दररेट	
५	Inward Display : 0.6m X 0.6m X 1m, 18 mm thick ply with deco paint finish. Skirting shall be finished with golden color laminate. Top shall have 18 mm thick board with 10 mm thick foam with silk fabric upholstery. The display box shall be covered with 8 mm thick, 300 mm height glass with edge polished. PVC buffer shall be fixed in leg. All completes including delivery and installation as per design and instructions.	Nos.			११,०००/००	
६	Step display : L 2.2m X B 0.6m, 1m maximum height at centre) with 18 mm thick ply with deco paint finish. Skirting shall be finished with golden color laminate. Top shall have 18 mm thick board with 10 mm thick foam with silk fabric upholstery. The display box shall be covered with 8 mm thick, 300 mm height glass with edge polished. PVC buffer shall be fixed in leg. All completes including delivery and installation as per design and instructions.	Nos.			४८,०००/००	
७	Picture display stand : 3.3m X 2.6m ; Made with 1.5"x1.5" of 16 G MS pipe frame. 10 mm thick ply shall be fixed on frame with 10 mm foam and silk type cloth upholstery. Metal frame shall be finished with approved color epoxy powder coating. All completes including delivery and installation as per design and instructions.	Sqft.			७०,०००/००	
८	Seating station : 20"x20"x18" seating station made with 18 mm ply with Hdfoam of 3" thick including all frame and approved color upholstery. All completes as per design and instructions.	Nos.			११,०००/००	
९	PVC Flooring : Providing & Fixing of 3mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m ² heterogeneous compact having unit weight not less than 3270 g/m ² . In approved pattern & color combination with PUR Reinforced - patented polyurethane surface treatment, Having wear layer of not less than 0.70mm thick; Vinyl flooring must be follow the fire rating ; Bacteriostatic effect anti fungi treatment resistance at 99.99% fungistic effect and effect; Chemical high resistance as per standard. The laid flooring should be included of Self leveling base course, coving all complete as per the specification and instructions.	Nos.			५,१५५/००	
१०	Supplying and installation of Stainless Steel 3-seater L 1.75m X B 0.75m X H 0.9m all complete as per the design, specification and instructions.	Nos.			२५,०००/००	
	<u>Water Fountain सँग सम्बन्धित आइटमहरू (ढुवानी र जडान समेत)</u>					
५७६	Stainless Steel Water Fountain Nozzle Spray Pond Sprinkler Head (1 1/2")	Nos.			८,०००/००	
५७७	9W RGB Underwater lights	Nos.			११,०००/००	
५७८	1 1/2" Crossfire nozzle	Nos.			५५,५००/००	
५७९	93 x 93 x 62mm Underwater junction box	Set			१२,०००/००	
५८०	Submersible open well fountain pump 3x3 inches out and 7.5 BHP	Set			१२२,८००/००	
५८१	3 mm thickness, 3.5" dia. Stainless Steel 304 Pipe; industrial type fitting	Rm			११,०००/००	
	<u>Street Light सम्बन्धी आइटमहरू (ढुवानी र जडान समेत)</u>					
५८२	120 W LED Street light, Input voltage :90-270 VAC, 50-60 Hz Frequency, Power factor>0.9; including supply connection from the junction box with LED lamps, drivers, controllers, reflectors, connecting wires and all other required accessories.	Nos.			११,५००/००	
५८३	Feeder Panel including Four pole 25 KA 50 A MCCB, Data Logger for system monitoring, Photocell for automatic control of the system and accessories with outdoor panel	Set			७५,१००/००	
५८४	10m Warm White (CCT=3000K) LED Linear Outdoor Strip light, Diffused Silicon or PVC, minimum 120 LEDs per meter, 5W per meter, with suitable driver and required mounts and bends	Nos.			६,०००/००	
५८५	नरि निर्वाचको मागी					
५८५	Geotextile filter paper (2000 Terem)	व.मि	११५११	११५११	११५११	
५८६	Geotextiles (1000 Terem)	व.मि	१७३०१	१७३०१	१७३०१	
५८७	Gunny bag	मेटा	७०३०	७०३०	७०३०	
५८८	Steel wire Rope (12mm)	Per Meter			१२०००	
५८९	Plastic New Bag (52-62 Gm)	Per Bag			५२५६	
५९०	निचो रौं (1.00x1.00x0.70)m, Per bag minimum 445 gm	मेटा	४०१५	४०१५	४०१५	
५९१	काईमन रेट	मेटा	१,५८५५	१,५८५५	१,५८५५	



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	धनुषा			कैफियत
			मा.ब. ०७९/८०	मा.ब. ०८०/८१	मा.ब. ०८१/८२ को स्वीकृत दररेट	
५९२	शिफार्ड ड्रेडनर्क सम्पन्न :					
1	Bentinites	किभो	३२५४	३२५४	३२५४	
2	Barite	किभो	३७८६	३७८६	३७८६	
3	Bush housing	गोटा	५,०३०५०	५,०३०५०	५,०३०५०	
4	Top cover including installation	गोटा	१,३४२००	१,३४२००	१,३४२००	
5	Supply and fitting of check nut	गोटा	१,१२२५०	१,१२२५०	१,१२२५०	
6	Supply and fitting of thrust bearings	सेट	१,१६५५४	१,१६५५४	१,१६५५४	
7	Supply and fitting of ball bearings	सेट	१,२९५९२	१,२९५९२	१,२९५९२	
8	Supply and fitting of shaft MS pin	गोटा	३७८६	३७८६	३७८६	
9	Supply and fitting of MS pin of gate plate	गोटा	४५०८०	४५०८०	४५०८०	
10	Supply and fitting of gate handle	गोटा	१,११३१०	१,११३१०	१,११३१०	
11	Supply and fitting of 1.5" dia. MS shaft	फिट	१,२९५९२	१,२९५९२	१,२९५९२	
12	Supply and fitting of 2" dia. MS shaft	फिट	१,१५५०३	१,१५५०३	१,१५५०३	
13	Bush housing repairing	सेट	२,३२००३	२,३२००३	२,३२००३	
14	Gate handle repairing	गोटा	१,०८९६०	१,०८९६०	१,०८९६०	
15	old shaft teeth facing and rethreading	फिट	३२५४८	३२५४८	३२५४८	
16	Gate servicing charge	सेट	८९५७३	८९५७३	८९५७३	
17	Gate opening and fitting charge	सेट	१,००४८९	१,००४८९	१,००४८९	
18	supply and fitting of GM bush big size	गोटा	६,५८९६०	६,५८९६०	६,५८९६०	
19	supply and fitting of GM bush medium size	गोटा	४,५०८१००	४,५०८१००	४,५०८१००	
20	supply and fitting of GM bush small size	गोटा	४,८६५२०	४,८६५२०	४,८६५२०	
21	supply and fitting of GM bush big size	गोटा	३,२०६९५	३,२०६९५	३,२०६९५	
22	supply and fitting of MS bush medium size	गोटा	२,५८५६८	२,५८५६८	२,५८५६८	
23	supply and fitting of MS bush small size	गोटा	२,९६३२०	२,९६३२०	२,९६३२०	
24	old shaft bend straighting	फिट	३३६६	३३६६	३३६६	
25	supply and fitting of 8mm dia. MS chain	फिट	४४९६२	४४९६२	४४९६२	
26	supply and fitting of 7 lever indian padlock	सेट	३८३९७	३८३९७	३८३९७	
27	supply and fitting of top and base plate	सेट	४,९६५७६	४,९६५७६	४,९६५७६	
28	supply and fitting of base plate	गोटा	२,२८५४८	२,२८५४८	२,२८५४८	
29	Gate assemble and installation charge	सेट	१०,८९६००	१०,८९६००	१०,८९६००	
30	supply and fitting of double lock system of top cover	सेट	४५६२९	४५६२९	४५६२९	
31	4mm thick MS casing pipe :					
i	Having 2" dia.	फिट	४९६५२	४९६५२	४९६५२	
ii	Having 2.5" dia.	फिट	४९२७३	४९२७३	४९२७३	
iii	Having 3" dia.	फिट	४२९९८	४२९९८	४२९९८	
iv	Having 4" dia.	फिट	४९५६८	४९५६८	४९५६८	
32	supply and fitting of casing pipe joint plat	सेट	१,२८५७०	१,२८५७०	१,२८५७०	
33	Welding charge :					
i	Arc welding	गोटा	१२७७	१२७७	१२७७	
ii	Gas welding	गोटा	२५३९	२५३९	२५३९	
५९३	भेटेरिनरी अस्पताल तथा पशु सेवा विज्ञान केन्द्र					
१	जै घाँसके बीउ प्रति के.जी.	के.जी.	९४००	९४००	९४००	
२	बर्षिम घाँसको बीउ प्रति के.जी.	के.जी.	३३२४०	३३२४०	३३२४०	
३	ट्रिपल-सुन्टी घाँसको बीउ प्रति के.जी.	के.जी.	१५२४०	१५२४०	१५२४०	
४	सुदान घाँसको बीउ प्रति के.जी.	के.जी.	१२३४०	१२३४०	१२३४०	
५	बाजरा घाँसको बीउ प्रति के.जी.	के.जी.	११५००	११५००	११५००	
६	नैपियर सेटस प्रति सेटस	सेटस	४५००	४५००	४५००	
७	बाखा बिउदो प्रति के.जी.	के.जी.	४७०००	४७०००	४७०००	
८	स्थानिय बोका बिउदो प्रति के.जी.	के.जी.	८४५००	८४५००	८४५००	
९	जसी गाई, होलेस्टन गाई, सोईबाल र गिर गाई प्रति गोटा दुधालु	प्रति गोटा	१४,०००००	१४,०००००	१४,०००००	
१०	भैसी मुरा प्रति गोटा दुधालु	प्रति गोटा	१५२,४००००	१५२,४००००	१५२,४००००	
११	भैसीको दुध प्रति लिटर	प्रति लिटर	१४००	१४००	१४००	
१२	गाईको दुध प्रति लिटर	प्रति लिटर	८४४०	८४४०	८४४०	
१३	होँसको चल्ता १ दिने	प्रति गोटा	११५००	११५००	११५००	
१४	स्थानिय जातको कुखुराको चल्ता १ दिने	प्रति गोटा	११८५४	११८५४	११८५४	
५९४	घोट बिरुवाको मूख					
क	घाँसको बिरुवा बसन्ती/मान्ड/बसन्ती-१ वर्ष	गोटा	९३६०	९३६०	९३६०	
	- २ वर्ष	गोटा	१४६००	१४६००	१४६००	
	- ३ वर्ष	गोटा	२६०००	२६०००	२६०००	
ख	घाँसको बिरुवा बाइपासी/प्रतिपा/बसन्ती-१ वर्ष	गोटा	१४६००	१४६००	१४६००	
	- २ वर्ष	गोटा	२६०००	२६०००	२६०००	
	- ३ वर्ष	गोटा	४९६००	४९६००	४९६००	
५९५	बडीबुडी					
i	कुगिलो	गोटा	१०००	१०००	१०००	बनस्पति अनुसन्धान केन्द्र, धनुषाबाट प्राप्त
ii	बर्षमगन्ना	गोटा	३१२०	३१२०	३१२०	
iii	पुनकुमारी	गोटा	१०५००	१०५००	१०५००	
iv	बेन	गोटा	३६५०	३६५०	३६५०	
v	लेकनछाप/बैपियर	सेट	४५०	४५०	४५०	बनस्पति अनुसन्धान केन्द्र, धनुषाबाट प्राप्त
vi	बाँधको	सेट	६२५	६२५	६२५	
५९६	बन विरुवा, विभिन्न प्रकारको	गोटा	८३२	८३२	८३२	
५९७	हानि घाँस, विभिन्न प्रकारको	गोटा	१४६०	१४६०	१४६०	
५९८	घाँसको बोनो, बसन्ती/गोडोस १ वर्ष/कमरी घाँस	गोटा	१८२००	१८२००	१८२००	
५९९	घाँसको बोनो, बसन्ती/गोडोस २ वर्ष/कमरी घाँस	गोटा	२७५५०	२७५५०	२७५५०	

Handwritten signatures and stamps at the bottom of the page, including a circular stamp on the right side.




निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	प्र.म.स. बाहेकको दररेट			टिप्पण
			मा.स. ००१/८०	मा.स. ००२/८१	मा.स. ००१/८१ को स्वीकृत दररेट	
१००	बालको सेना, विड बाल	मोटा	१२००	१२००	१२००	
१०१	बोली सेना, २२ सेना	के.जी	११५००	११५००	११५००	
१०२	सिन्धुवाल	मोटा	११५०	११५०	११५०	
१०३	सिन्धी- १ बने	मोटा	१०५००	१०५००	१०५००	
	- २ बने	मोटा	१६२००	१६२००	१६२००	
१०४	कायली	मोटा	१२००	१२००	१२००	
१०५	कटहरा	मोटा	११५०	११५०	११५०	
१०६	बजार सेवेराम	मोटा	१०५००	१०५००	१०५००	
i	बजार सिन्धुवाल	मोटा	११५००	११५००	११५००	
ii	बजार सेवेराम	मोटा	२०६००	२०६००	२०६००	
१०७	सफा, चौकाम	मोटा	२५०००	२५०००	२५०००	
१०८	सलोक	मोटा	१२००	१२००	१२००	
१०९	दुधो	मोटा	६३२०	६३२०	६३२०	
११०	सदुका	के.जी	२५०००	२५०००	२५०००	
१११	सेवा	के.जी	६३२०	६३२०	६३२०	
११२	पुंगुली	के.जी	११२००	११२००	११२००	
११३	बीउ पिच					
i	सिको बीउको सेना	के.जी	१,११०००	१,११०००	१,११०००	
ii	सामान्य सेना	के.जी	१,१२०००	१,१२०००	१,१२०००	
iii	सिको सेना	के.जी	५,११०००	५,११०००	५,११०००	
iv	सदुकाको सेना	के.जी	१,१२०००	१,१२०००	१,१२०००	
v	साईनी सिको सेना	के.जी	१,२०००	१,२०००	१,२०००	
vi	सातापरी / सुनको सेना	के.जी	५,१६०००	५,१६०००	५,१६०००	बनारसी अनुसन्धान केन्द्र, धनुषाबाट प्राप्त
vii	सई सिको सेना	के.जी	१,५२०	१,५२०	१,५२०	
viii	सर्पगन्धाको बीउ	के.जी	५,०००००	५,०००००	५,०००००	बनारसी अनुसन्धान केन्द्र, धनुषाबाट प्राप्त
ix	अमलाको बीउ	के.जी	६,०००००	६,०००००	६,०००००	बनारसी अनुसन्धान केन्द्र, धनुषाबाट प्राप्त
विभिन्न बान कार्यालय सम्बन्धि दररेट :						
११४	सोपिना कण्ड कटान मुकाम सर्प					
i	सब कटान सर्प कण्ड	मोटा	११५०	११५०	११५०	
ii	सब सोपिना कटान, मुकाम	घन फिट	२५५०	२५५०	२५५०	
iii	सोपना सावुने, सिपु काटने	घन फिट	११५०	११५०	११५०	
iv	सोपना र सावुने	घन फिट	२५५०	२५५०	२५५०	
v	सोपना	घन फिट	११२०	११२०	११२०	
vi	बनसोपना	घन फिट	११५०	११५०	११५०	
vii	सावुने	घन फिट	२५५०	२५५०	२५५०	
११५	ढुवानी					
i	२ कि.मि. सम्म	कि.मि.	११२०	११२०	११२०	
ii	२.२ कि.मि. सम्म	कि.मि.	११५०	११५०	११५०	
iii	२.२ सेना १० कि.मि. सम्म	कि.मि.	१२००	१२००	१२००	
११६	साउना कटान मुकाम					
i	साउना कटान	घन	५,१६०००	५,१६०००	५,१६०००	
ii	साउना निर्माण	घन	२,१००००	२,१००००	२,१००००	
iii	सोपना ढुवानीको सावुने	घन	१,५६०००	१,५६०००	१,५६०००	
iv	बनसोपना ढुवानीको सावुने	घन	१,१५५००	१,१५५००	१,१५५००	
११७	सिन्धी ढुवानी सोपना बानसोपना सडक					
i	० सेना १० कि.मि. सम्म	मोटा	१६२	१६२	१६२	
ii	१० सेना २० कि.मि. सम्म	मोटा	२०६	२०६	२०६	
iii	२० सेना ३० कि.मि. सम्म	मोटा	२५०	२५०	२५०	
iv	३० सेना ४० कि.मि. सम्म	मोटा	३१२	३१२	३१२	
v	४० सेना ५० कि.मि. सम्म	मोटा	३६५	३६५	३६५	
सिन्धी इकोप सम्बन्धि कार्यालय :						
११८	विभिन्न कार्यालय					
i	बोलीको	मोटा	१२०००	१२०००	१२०००	
ii	बोली	मोटा	१२०००	१२०००	१२०००	
iii	बोली	मोटा	१३५००	१३५००	१३५००	
iv	बोली काटने	मोटा	५२६००	५२६००	५२६००	
v	बोली	मोटा	१,२००००	१,२००००	१,२००००	
vi	बन सडकका सावुने	मोटा	३६५००	३६५००	३६५००	
vii	सोपना	मोटा	२६०००	२६०००	२६०००	
viii	बोली	मोटा	११५००	११५००	११५००	
ix	बोली	मोटा	६३२००	६३२००	६३२००	
x	बोली	मोटा	१२०००	१२०००	१२०००	
xi	सोपना	मोटा	३६५००	३६५००	३६५००	
xii	सावुने	मोटा	१३५६	१३५६	१३५६	
xiii	सावुने काटने	मोटा	१,२००००	१,२००००	१,२००००	
xiv	बन सडक	मोटा	१३५००	१३५००	१३५००	
११९	बनसोपना सावुने सडकका सिन्धी विभाग बाट प्राप्त					
बनसोपना सावुने सडकको सिन्धी विभाग बाट प्राप्त						
बनसोपना सावुने सडकको सिन्धी विभाग						
१	सावुने	प्रति सडक		१,१००००	१,१००००	बनसोपना सावुने सडकको सिन्धी विभाग बाट प्राप्त
२	सावुने	प्रति सडक		२,०००००	२,०००००	बनसोपना सावुने सडकको सिन्धी विभाग बाट प्राप्त
३	सावुने (सोपना र सडकका)	प्रति सडक		२५०००	२५०००	बनसोपना सावुने सडकको सिन्धी विभाग बाट प्राप्त

Handwritten signatures and stamps at the bottom of the page, including a circular stamp with 'page 27 of 29'.



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	आ.व. ०७९/८०		आ.व. ०८१/८२ को स्वीकृत दररेट	टिप्पण
			मा.स. ०६०/६१	मा.स. ०६०/६१		
४	फिडमिलिङ्ग भुग (औषधमा १.५-२ इन्च साइजको)	प्रति हजार		७५०००	७५०००	सबै सामग्री
५	एडभान्स फिडरलीङ्ग (२.५-३.० इन्च सम्मको)	प्रति हजार		१,१००००	१,१००००	सबै सामग्री
६	३ (तीन) इन्च वा सोभन्दा ठुलो साइजको भुग	के.जी.		२००००	२००००	सबै सामग्री
७	खाने घास					
७.१	रोह्र, नैनी, भाकुर र कमन कार्प	के.जी.		१२०००	१२०००	कार्यालयको स्वीकृत कार्यालय गर्ने मात्रै निर्देशनको साथ हुने
७.२	बिगहेड र टिलापिया	के.जी.		२६०००	२६०००	
७.३	सिल्वर कार्प र ग्रास कार्प	के.जी.		२४०००	२४०००	
८.१	भेतामिस	के.जी.			२००००	
८	अधारीकृत स्थितिको प्लास्टिक प्याकिङ्ग					
८.१	सिगास प्लास्टिक प्याकीङ्ग	प्रति मोटा		२१००	२१००	
८.२	इसल प्लास्टिक प्याकीङ्ग	प्रति मोटा		४०००	४०००	
ख.	मत्स्य मत्स्य संसाधन विकास तथा प्रविधि परीक्षण केन्द्र जनकपुरधामको तालिम सदनको / सवारी साधनको माडा हर टेट:-					
१	सडीका कोठा	प्रति विन		१,०००००	१,०००००	कार्यालयको स्वीकृत कार्यालय गर्ने मात्रै निर्देशनको साथ हुने
२	बस्ना कोठा	" "		४,०००००	४,०००००	
३	सभा हल	" "		७,५००००	७,५००००	
४	अधिकृतलरीय कोमेटी	प्रति बेड		२१०००	२१०००	
५	अधिकृतलरीय कोमेटी (ए.सी. कोठा भएको)	प्रति बेड		३००००	३००००	
६	सलाक कोमेटी	प्रति बेड		१००००	१००००	
७	डाक्टरिकुन कोठा	प्रति विन		३,०००००	३,०००००	
८	बस	प्रति विन			१,०००००	सवारी साधन सरकारी संघ संस्थालाई मात्रै उपलब्ध गराईने छ । इन्धन लगायत अन्य व्यवस्थाकीय, आकस्मिक क्षतीको खर्च र सवारी संचालन खर्च सेवाग्राही संघ/संस्थाले स्वयंते नै उपलब्ध गराउनु पर्नेछ ।
ग.	मत्स्य बीज उत्पादन र खाने-माछामा प्रयोग हुने कृषिजन्य उत्पादन / उप-उत्पादनहरू र व्यावसायिक दानाको औषत बजार मूल्य:					
	कृषिजन्य उत्पादन / उप-उत्पादन र व्यावसायिक दानाको विवरण					
१	कृषिजन्य उत्पादन तथा उप-उत्पादनहरू					
१.१	सोपको मिस	के.जी.		४५००	४५००	
१.२	राईस ब्रान	के.जी.		४५००	४५००	
१.३	गहुँको पिठो	के.जी.		९०००	९०००	
१.४	गहुँको दाना	के.जी.		४५००	४५००	
१.५	भट्यासको दाना	के.जी.		२००००	२००००	
१.६	भट्यासको पिठो	के.जी.			२३५००	
१.७	गोजर मल	के.जी.			४००	
२	व्यवसायिक दाना					
२.१	पानीमा डुग्ने पेलेट दाना (Sinking pellet feed)					
२.१.१	२.०-२.५ mm साइजको (२६-३०% CP, ३-४% FAT)	के.जी.			७८००	
२.१.२	२.५-३.० mm सम्य साइजको (२४-२६% CP, ३-४% FAT)	के.जी.		१४००	७५००	
२.१.३	४.० mm साइजको (२४-२६% CP, ३-४% FAT)	के.जी.			७२००	
२.२	पानीमा तैरिने दाना (Floating pellet feed)					
२.२.१	०.५ mm को ट्यापलीकृत पाउडर (३५-४०% CP, ४-६% FAT)	के.जी.			२००००	
२.२.२	१.५ mm ट्यापको (३२-३४% CP, ४-६% FAT)	के.जी.			१३५००	
२.२.३	२.० mm ट्यापको (२८-३०% CP, ४-६% FAT)	के.जी.			१२३००	
२.२.४	२.५-३.० mm ट्यापको (२८-३०% CP, ४-६% FAT)	के.जी.		९८००	११५००	
२.२.५	४.० mm ट्यापको (२८-३०% CP, ४-६% FAT)	के.जी.			११०००	
२.२.६	४.० mm ट्यापको (२४-३६% CP, ४-६% FAT)	के.जी.			९८०००	
घ.	मत्स्य बीज उत्पादन व्यवस्थापन तथा मत्स्यपालन कार्यमा प्रयोग हुने सामग्रीहरूको प्रचलित बजार मूल्य:					
	कृषिजन्य उत्पादन / उप-उत्पादन र व्यावसायिक दानाको विवरण					
१.	सडी बालको कपडा	बर्ग.मी.			७५००	
२.	जालीदार बाईलको बालको कपडा					
२.१	२"X२" मेस साइजको	बर्ग.मी.			९६००	
२.२	४"X४" मेस साइजको	बर्ग.मी.			६५००	
२.३	६"X६" मेस साइजको	बर्ग.मी.			७५००	
२.४	८"X८" मेस साइजको	बर्ग.मी.			७०००	

Handwritten signatures and stamps at the bottom of the page.



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	क.अ.क. बाहेकको दररेट			कैफियत
			भा.व. ०७९/८०	धनुषा	भा.व. ०८०/८१	
३.	सघारी बहाजाल (कम्तीमा २"X२" भेस साइजको साथै तान्ने डोरी, सिन्का पोटी र फलोटा बडान भएको)	वर्ग.मी.				१७५१००
४.	पोली स्पाईन प्लास्टिक सिट (सिलपाउलिन्/ टारपाउलिन् प्लास्टिक)					
५.१	१५० GSM मोटाईको	वर्ग.मी.				१७२१००
५.२	२०० GSM मोटाईको	वर्ग.मी.				१९४१००
६.	साछा घुस प्याकिग गर्ने पोली ब्याग					
७.१	१६"X३२" साइजको	के.जी.				३४०१००
७.२	१८"X३२" साइजको	के.जी.				३२०१००

- टिप्पण :
१. निर्माण सामग्रीको दररेट ज.उ.म.न.पा. भित्रको लागि कायम गरिएको छ तथा जिल्लाका अन्य भागहरूको लागि निर्माण सामग्रीहरूको दर निर्धारण गर्दा सामग्री उपलब्ध हुने स्थानको दरमा पूर्ति अनुसारको सामान ढुवानी भाडा थप गरी कायम हुनेछ।
 २. उल्लेख नभएका निर्माण सामग्रीको हकमा बजार भाउको आधारमा दरभाउ कायम गर्न सकिन्छ तथा अन्य स्थानीय बजारमा नपाईने निर्माण सामग्रीको हकमा अन्य जिल्लाको दरमा ढुवानी थप गरी दररेट कायम हुनेछ।
 ३. निर्धारण गरिएका दररेटमा मुन्ध अभिवृद्धि कर समावेश गरिएको छैन।

Handwritten signatures and stamps are present below the table. One stamp reads 'प्रमुख जिल्ला अधिकारी' (Chief District Officer) and another contains the number '२१५'.



निर्माण सामग्री तथा ढुवानीको दररेट

जिल्ला: धनुषा

क्र.सं.	विवरण	इकाई	र.अ.क. बाहेकको दररेट			वैकल्प
			मा.प. ०७१/८०	मा.प. ०८०/८१	मा.प. ०८१/८२ को स्वीकृत दररेट	
92	100mm	No			११,२००००	
93	80mm	No			६,६४४००	
	GI Pipe Medium					
94	150mm	Rm			१,४२०००	
	GI Elbow					
95	50mm	No			११४००	
96	80mm	No			११४००	
97	100mm	No			१,१७४००	
98	150mm	No			१,१७४००	
	GI Tee					
99	50mm	No			४४१००	
100	80mm	No			१,१४४००	
101	100mm	No			२,०४४००	
102	150mm	No			१,०४०००	
	GI Socket					
103	50mm	No			२६६४४	
104	80mm	No			११११२	
105	100mm	No			१,११५२४	
106	150mm	No			४,११२००	
	Butter Fly Valve					
107	8"	Set			४४,११०००	
108	6"	Set			११,२७०००	
109	Lowering of Column Pipe In Deep Tubewell	Rm			१,१४४००	
110	De-Lowering of Column Pipe In Deep Tubewell	Rm			१,१४४००	
	Star Delta Pannel Board					
111	25-30 HP	No			६१,७७४००	
112	30-33 HP	No			१११,१४४००	
113	35-40 HP	No			१००,०००००	
114	40-51HP	No			२०६,३०४००	
	Rubber Packing					
115	3"	No			३००००	
116	4"	No			३२४००	
117	6"	No			४२४००	
	MCCB of Standard Company					
118	63A	No			४८७४००	
119	100A	No			१०,७००००	
120	50mm ² 4 Core Almunium Conductor Non-Armored	rm			८७०००	
	Main Switch of Standard Company					
121	63A	No			१०,४४४००	
122	100A	No			१९,१३०००	
123	Pea Gravel	cum			३,०४०००	
	uPVC Column Pipe Standard Duty					
124	2"	rm			१,८००००	
125	2.5"	rm			२,८००००	
126	3"	rm			३,८००००	
127	4"	rm			४,२००००	
128	5"	rm			४,९८०००	
129	6"	Rm			६,८७४००	
	uPVC Connector					
130	2"	no			१२,४००००	
131	2.5"	no			१३,८००००	
132	3"	no			१४,३००००	
133	4"	no			१४,४००००	
134	5"	no			१६,२००००	
135	6"	no			१६,७००००	
	Submersible Pump					
136	7.5 HP	Set			१९०,०००००	
137	10HP	Set			१७०,०००००	
137	12.5HP	Set			१७०,०००००	
138	15HP	Set			१९२,४००००	
138	20HP	Set			२२४,४००००	
139	25HP	Set			२४७,४००००	
	Sanitary Items Others :					
३९९	Euroguard water filter RO of 1 liter/minute capacity	गोटा	१७,४१००९	१७,४१००९	१७,४१००९	
३७०	1000 liter stainless steel water tank 304 grade steel with inlet, outlet, overflow, cleanout hole etc.	गोटा	१८,२००००	१८,२००००	१८,२००००	
३७१	2000 liter stainless steel water tank 304 grade steel with inlet, outlet, overflow, cleanout hole etc.	गोटा	३४,४२८००	३४,४२८००	३४,४२८००	
	CPVC pipe and fittings					
३७२	15mm (1/2") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	१११११	१११११	१११११	
३७३	20mm (3/4") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	२२३८९	२२३८९	२२३८९	
३७४	25mm (1") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	२९३११	२९३११	२९३११	
३७५	32mm (1.25") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	३६४४८	३६४४८	३६४४८	
३७६	40mm (1.5") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	४९०४२	४९०४२	४९०४२	
३७७	50mm (2") CPVC pipe SDR 13.5 (3 m.) CTS	मिटर	५८०९२	५८०९२	५८०९२	
३७८	15mm CPVC ball valve, CTS sockets	मिटर	४९०४२	४९०४२	४९०४२	
३७९	20mm CPVC ball valve, CTS sockets	मिटर	६७२२४	६७२२४	६७२२४	
३८०	25mm CPVC ball valve, CTS sockets	मिटर	८२०९१	८२०९१	८२०९१	
३८१	32mm CPVC ball valve, CTS sockets	मिटर	१,११६६०	१,११६६०	१,११६६०	
३८२	40mm CPVC ball valve, CTS sockets	मिटर	२,२९४९६	२,२९४९६	२,२९४९६	
३८३	40mm CPVC ball valve, CTS sockets	मिटर	२,९४८९६	२,९४८९६	२,९४८९६	
३८४	Joining materials (flow guard adhesive joint)	मिटर	१६३२४	१६३२४	१६३२४	

Handwritten signatures and marks at the bottom of the page, including a large 'St' mark on the right.